

## **BAMBANKER**

## **Novachem Pty Ltd**

Version No: 1.1 Safety Data Sheet according to WHS and ADG requirements

## Chemwatch Hazard Alert Code: 1

Issue Date: 30/08/2018 Print Date: 30/08/2018 S.GHS.AUS.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

## **Product Identifier**

Product name	BAMBANKER
Synonyms	306-14684
Other means of identification	Not Available
CAS number	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Serum-Free Cell Freezing Medium

## Details of the supplier of the safety data sheet

Registered company name	Novachem Pty Ltd
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia
Telephone	+61384151255
Fax	+61386250088
Website	www.novachem.com.au
Email	novachem@novachem.com.au

## Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

## **SECTION 2 HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Not Applicable

### Label elements

Hazard pictogram(s)	Not Applicable
SIGNAL WORD	NOT APPLICABLE

### Hazard statement(s)

Not Applicable

## Precautionary statement(s) Prevention

Not Applicable

## Precautionary statement(s) Response

Not Applicable

## Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

# Page 2 of 7 BAMBANKER

Issue Date: **30/08/2018**Print Date: **30/08/2018** 

#### Substances

CAS No	%[weight]	Name
67-68-5	>1	dimethyl sulfoxide
9048-46-8	>1	albumin
7732-18-5	>1	water

#### Mixtures

See section above for composition of Substances

## **SECTION 4 FIRST AID MEASURES**

## Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs:  ► Immediately remove all contaminated clothing, including footwear.  ► Flush skin and hair with running water (and soap if available).  ► Seek medical attention in event of irritation.
Inhalation	<ul> <li>If furnes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 FIREFIGHTING MEASURES**

#### **Extinguishing media**

- $\,\blacktriangleright\,$  There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

## Special hazards arising from the substrate or mixture

None known.
<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
_

## Fire/Explosion Hazard

▶ Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of:

hydrogen cyanide nitrogen oxides (NOx)

May emit corrosive fumes.

HAZCHEM

Not Applicable

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	Moderate hazard.  ► Clear area of personnel and move upwind.  ► Alert Fire Brigade and tell them location and nature of hazard.  ► Wear breathing apparatus plus protective gloves.

#### **SECTION 7 HANDLING AND STORAGE**

## Precautions for safe handling

#### Safe handling

- ▶ Avoid all personal contact, including inhalation.
- ► Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- ► DO NOT allow clothing wet with material to stay in contact with skin

#### Other information

### Conditions for safe storage, including any incompatibilities

#### Suitable container

- ▶ Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

## Storage incompatibility

It is suggested that crystalline proteins are explosive as evidenced by the easily induced shattering of microcrystals. This may be a consequence of the implosive collapse of a metastable ordering of molecules (Bretherick's Handbook of Reactive Chemical Hazards). A study was performed to obtain quantitative data on the nature and yields of oxidation products formed by a prototypic oxidant system (HO• /O2) on small peptides, including Val-Gly-Val-Ala-Pro-Gly. Study results indicated that hydroperoxide formation occurred nonrandomly (Pro > Val > Ala > Gly) and that the formation of hydroperoxide was

inversely related to carbonyl yields (both peptide-bound and released).

None known

### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

#### EMERGENCY LIMITS

Ingredient	Material name	TEEL	1	TEEL-2	TEEL-3	
dimethyl sulfoxide	Dimethyl sulfoxide; (DMSO)	150 pp	om	290 ppm	1,800 ppm	
Ingredient	Original IDLH	Original IDLH		Revised IDLH		
dimethyl sulfoxide	Not Available	Not Available		Not Available		
albumin	Not Available	Not Available		Not Available		
water	Not Available	Not Available		Not Available		

## **Exposure controls**

## Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment

## Personal protection









- Safety glasses with side shields
- Chemical goggles. Eye and face protection
  - Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

## Skin protection

## ▶ Wear chemical protective gloves, e.g. PVC.

▶ Wear safety footwear or safety gumboots, e.g. Rubber

## Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care

## **Body protection**

## See Other protection below

#### Other protection

- Overalls. P.V.C. apron.
- Barrier cream.

## Recommended material(s)

## GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the

## Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Page 4 of 7

BAMBANKER

Issue Date: **30/08/2018**Print Date: **30/08/2018** 

#### "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

BAMBANKER

Material CPI BUTYL Α NEOPRENE Α HYPALON С NATURAL RUBBER С NATURAL+NEOPRENE С NEOPRENE/NATURAL С С **NITRILE** С NITRILE+PVC PE/EVAL/PE С PVA С PVC С VITON С

- A: Best Selection
- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS/	-
•		Class1	
up to 50	1000	-	A-AUS / Class
			1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Colourless		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 TOXICOLOGICAL INFORMATION**

<sup>\*</sup> CPI - Chemwatch Performance Index

Issue Date: 30/08/2018 Print Date: 30/08/2018

## **BAMBANKER**

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respira	stony tract (as alassified by EC Directives using animal models)		
	Nevertheless, good hygiene practice requires that exposure be kept to a minimum and			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directhrough wounds, lesions or abrasions.  There is some evidence to suggest that this material can cause inflammation of the skin			
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).			
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to nevertheless exposure by all routes should be minimised as a matter of course.  Dusts produced by proteins can sometimes sensitise workers like other foreign bodies. wheezing, narrowing of the airways and breathing difficulties.			
BAMBANKER	TOXICITY	TION		
BAMBARKER	Not Available Not Ava	ailable		
	TOXICITY	IRRITATION		
dimethyl sulfoxide	Oral (rat) LD50: 14500 mg/kg <sup>[2]</sup>	Not Available		
	TOXICITY IRRITA	TION		
albumin	Not Available Not Ava	ailable		
	TOXICITY IRRITA	TION		
water	Not Available Not Available			
water	Not Available Not Ava			
water  Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value	ailable		
		ailable		
	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate irral lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, ye and may induce tear formation with a brief burning sensation. function. Although it causes an increase in urine production, no sig asional skin irritation, garlicky breath and body odour. It is		
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value data extracted from RTECS - Register of Toxic Effect of chemical Substances  Asthma-like symptoms may continue for months or even years after exposure to the mareactive airways dysfunction syndrome (RADS) which can occur after exposure to hig RADS include the absence of previous airways disease in a non-atopic individual, with hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS in severe bronchial hyperreactivity on methacholine challenge testing, and the lack of min DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after stinging and itching, which disappear after discontinuation. It is mildly irritating to the eLong term exposure may cause poor weight gain and changes in the blood and eye. Extensive monitoring of humans has shown that DMSO does not affect human kidney of kidney damage or cancer has been found. Repeated skin application can cause occumetabolised in the body and excreted in the urine, faeces, through the breath and skin. The material may be irritating to the eye, with prolonged contact causing inflammation. conjunctivitis.  The material may cause skin irritation after prolonged or repeated exposure and may p	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate irral lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, ye and may induce tear formation with a brief burning sensation. function. Although it causes an increase in urine production, no sig asional skin irritation, garlicky breath and body odour. It is		
Legend: DIMETHYL SULFOXIDE	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value data extracted from RTECS - Register of Toxic Effect of chemical Substances  Asthma-like symptoms may continue for months or even years after exposure to the mareactive airways dysfunction syndrome (RADS) which can occur after exposure to hig RADS include the absence of previous airways disease in a non-atopic individual, with hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS in severe bronchial hyperreactivity on methacholine challenge testing, and the lack of min DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after stinging and itching, which disappear after discontinuation. It is mildly irritating to the electron to the exposure may cause poor weight gain and changes in the blood and eye. Extensive monitoring of humans has shown that DMSO does not affect human kidney of kidney damage or cancer has been found. Repeated skin application can cause occumetabolised in the body and excreted in the urine, faeces, through the breath and skin. The material may be irritating to the eye, with prolonged contact causing inflammation. conjunctivitis.  The material may cause skin irritation after prolonged or repeated exposure and may p scaling and thickening of the skin.  No significant acute toxicological data identified in literature search.	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate irral lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, ye and may induce tear formation with a brief burning sensation. function. Although it causes an increase in urine production, no signational skin irritation, garlicky breath and body odour. It is		
Legend: DIMETHYL SULFOXIDE ALBUMIN & WATER	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value data extracted from RTECS - Register of Toxic Effect of chemical Substances  Asthma-like symptoms may continue for months or even years after exposure to the ma reactive airways dysfunction syndrome (RADS) which can occur after exposure to hig RADS include the absence of previous airways disease in a non-atopic individual, with hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS in severe bronchial hyperreactivity on methacholine challenge testing, and the lack of min DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after stinging and itching, which disappear after discontinuation. It is mildly irritating to the eye. Long term exposure may cause poor weight gain and changes in the blood and eye. Extensive monitoring of humans has shown that DMSO does not affect human kidney of kidney damage or cancer has been found. Repeated skin application can cause occumetabolised in the body and excreted in the urine, faeces, through the breath and skin. The material may be irritating to the eye, with prolonged contact causing inflammation. conjunctivitis.  The material may cause skin irritation after prolonged or repeated exposure and may p scaling and thickening of the skin.  No significant acute toxicological data identified in literature search.	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate imal lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, ye and may induce tear formation with a brief burning sensation. function. Although it causes an increase in urine production, no signational skin irritation, garlicky breath and body odour. It is  Repeated or prolonged exposure to irritants may produce roduce on contact skin redness, swelling, the production of vesicle		
Legend:  DIMETHYL SULFOXIDE  ALBUMIN & WATER  Acute Toxicity	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value data extracted from RTECS - Register of Toxic Effect of chemical Substances  Asthma-like symptoms may continue for months or even years after exposure to the mareactive airways dysfunction syndrome (RADS) which can occur after exposure to hig RADS include the absence of previous airways disease in a non-atopic individual, with hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS in severe bronchial hyperreactivity on methacholine challenge testing, and the lack of min DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after stinging and itching, which disappear after discontinuation. It is mildly irritating to the electronic to the exposure may cause poor weight gain and changes in the blood and eye. Extensive monitoring of humans has shown that DMSO does not affect human kidney of kidney damage or cancer has been found. Repeated skin application can cause occumetabolised in the body and excreted in the urine, faeces, through the breath and skin. The material may be irritating to the eye, with prolonged contact causing inflammation. conjunctivitis.  The material may cause skin irritation after prolonged or repeated exposure and may p scaling and thickening of the skin.  No significant acute toxicological data identified in literature search.	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate imal lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, ye and may induce tear formation with a brief burning sensation. function. Although it causes an increase in urine production, no signational skin irritation, garlicky breath and body odour. It is Repeated or prolonged exposure to irritants may produce roduce on contact skin redness, swelling, the production of vesicle successful.		
Legend:  DIMETHYL SULFOXIDE  ALBUMIN & WATER  Acute Toxicity  Skin Irritation/Corrosion	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value data extracted from RTECS - Register of Toxic Effect of chemical Substances  Asthma-like symptoms may continue for months or even years after exposure to the ma reactive airways dysfunction syndrome (RADS) which can occur after exposure to hig RADS include the absence of previous airways disease in a non-atopic individual, with hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS in severe bronchial hyperreactivity on methacholine challenge testing, and the lack of min DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after stinging and itching, which disappear after discontinuation. It is mildly irritating to the eLong term exposure may cause poor weight gain and changes in the blood and eye. Extensive monitoring of humans has shown that DMSO does not affect human kidney of kidney damage or cancer has been found. Repeated skin application can cause occumetabolised in the body and excreted in the urine, faeces, through the breath and skin. The material may be irritating to the eye, with prolonged contact causing inflammation. conjunctivitis.  The material may cause skin irritation after prolonged or repeated exposure and may p scaling and thickening of the skin.  No significant acute toxicological data identified in literature search.	terial ends. This may be due to a non-allergic condition known as h levels of highly irritating compound. Main criteria for diagnosing sudden onset of persistent asthma-like symptoms within minutes to clude a reversible airflow pattern on lung function tests, moderate imal lymphocytic inflammation, without eosinophilia. oral intake. Topical application causes mild redness, burning, we and may induce tear formation with a brief burning sensation. Function. Although it causes an increase in urine production, no signational skin irritation, garlicky breath and body odour. It is  Repeated or prolonged exposure to irritants may produce roduce on contact skin redness, swelling, the production of vesicle genicity.		

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data available to make classification

O - Data Not Available to make classification

## **SECTION 12 ECOLOGICAL INFORMATION**

## Toxicity

TOXIOITY										
	ENDROINE		TECT DUDATION (UD)		CDECIEC	1/4	ALUE	SOUR	or.	
BAMBANKER	ENDPOINT		TEST DURATION (HR)		SPECIES	VA	LUE	500K	CE	
DANIDANIEN	Not Available		Not Available		Not Available	No	Not Available N		Not Available	
dimethyl sulfoxide	ENDPOINT	TES	ST DURATION (HR)	SPECIES			VALUE		SOURCE	
	LC50	96		Fish			=30800.0mg/L		1	

# Page 6 of 7 BAMBANKER

Issue Date: **30/08/2018**Print Date: **30/08/2018** 

	EC50	96	-	er aquatic plants	=12350-25500m	g/L	1
	NOEC	168	Crustacea		0.1750000mg/L		4
				ı			
albumin	ENDPOINT	TEST DURATION (HR)		SPECIES	VALUE	SOUF	RCE
albumm	Not Available	Not Available	Not Available Not Available		Not Available Not Ava		/ailable
	ENDPOINT	TEST DURATION (HR)		SPECIES	VALUE	SOUP	RCE
water	Not Available	Not Available		Not Available	Not Available	Not A	/ailable
Legend:		ICLID Toxicity Data 2. Europe ECH.			,	-	
	' '	oxicity Data (Estimated) 4. US EPA ntration Data 7. METI (Japan) - Biod	*	,	ECETOC Aquatic Haza	ard Assessm	ent Data 6. NITE

Proteins are generally easily biodegradable.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
dimethyl sulfoxide	HIGH	HIGH
water	LOW	LOW

#### Bioaccumulative potential

Ingredient	Bioaccumulation
dimethyl sulfoxide	LOW (BCF = 0.4)
water	LOW (LogKOW = -1.38)

## Mobility in soil

Ingredient	Mobility
dimethyl sulfoxide	LOW (KOC = 4.411)
water	LOW (KOC = 14.3)

## **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ► Reuse
- ▶ Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- Product / Packaging disposal

  Do NoT allow wash water from cleaning or process equipment to enter drains

  It may be processed to collect all wash water for treatment before disposal
  - It may be necessary to collect all wash water for treatment before disposal.
  - ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
  - ▶ Where in doubt contact the responsible authority.
  - Recycle wherever possible.
  - Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
  - Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
  - Decontaminate empty containers.

## **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## **SECTION 15 REGULATORY INFORMATION**

Issue Date: 30/08/2018 Print Date: 30/08/2018

## Safety, health and environmental regulations / legislation specific for the substance or mixture

#### DIMETHYL SULFOXIDE(67-68-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix F (Part 3)

## ALBUMIN(9048-46-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

#### WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

## **National Inventory Status**

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (dimethyl sulfoxide; water)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (albumin)
Korea - KECI	Υ
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

## **SECTION 16 OTHER INFORMATION**

Revision Date	30/08/2018
Initial Date	30/08/2018

## Other information

## Ingredients with multiple cas numbers

Name	CAS No
albumin	9048-46-8, 70024-90-7, 68551-06-4, 94349-60-7, 9048-49-1, 12623-95-9, 54577-67-2

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.