

# **Direct Bilirubin Vanadate**

# **Novachem Pty Ltd**

Version No: 1.1 Safety Data Sheet according to WHS and ADG requirements

# Chemwatch Hazard Alert Code: 1

Issue Date: 30/08/2018 Print Date: 30/08/2018 S.GHS.AUS.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

# **Product Identifier**

Product name	Direct Bilirubin Vanadate			
Synonyms	413-23895			
Other means of identification	Not Available			
CAS number	Not Available			

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	In vitro diagnostics

# Details of the supplier of the safety data sheet

Registered company name	Novachem Pty Ltd		
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia		
Telephone	384151255		
Fax	+61386250088		
Website	www.novachem.com.au		
Email	novachem@novachem.com.au		

# Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre		
Emergency telephone numbers	13 11 26		
Other emergency telephone numbers	Not Available		

# **SECTION 2 HAZARDS IDENTIFICATION**

# Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Not Applicable

#### Label elements

Hazard pictogram(s)	Not Applicable	
SIGNAL WORD	NOT APPLICABLE	

#### Hazard statement(s)

Not Applicable

# Precautionary statement(s) Prevention

Not Applicable

# Precautionary statement(s) Response

Not Applicable

# Precautionary statement(s) Storage

Not Applicable

# Precautionary statement(s) Disposal

Not Applicable

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

Chemwatch: 9-581884 Page 2 of 7 Version No: 1.1

#### **Direct Bilirubin Vanadate**

Issue Date: 30/08/2018 Print Date: 30/08/2018

#### Substances

CAS No	%[weight]	Name
2809-21-4	1	hydroxyethanediphosphonic acid
7732-18-5	99	water

#### **Mixtures**

See section above for composition of Substances

# **SECTION 4 FIRST AID MEASURES**

#### Description of first aid measures

Eye Contact  If this product comes in contact with eyes:  Wash out immediately with water.  If this product comes in contact with eyes:  Wash out immediately with water.  If this product comes in contact eyes:  Removal or contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact  Skin Contact  If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.	
Inhalation  If fumes, aerosols or combustion products are inhaled remove from contaminated area.  Other measures are usually unnecessary.	
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIREFIGHTING MEASURES**

# **Extinguishing media**

- There is no restriction on the type of extinguisher which may be used.
   Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture Fire Incompatibility None known.

Advice for firefighters				
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>			
Fire/Explosion Hazard	Non combustible.  Not considered a significant fire risk, however containers may burn.  May emit corrosive fumes.			

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

HAZCHEM

# Personal precautions, protective equipment and emergency procedures

Not Applicable

See section 8

# **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul>
Major Spills	Moderate hazard.  ► Clear area of personnel and move upwind.  ► Alert Fire Brigade and tell them location and nature of hazard.  ► Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 HANDLING AND STORAGE**

Version No: 1.1

#### **Direct Bilirubin Vanadate**

Issue Date: **30/08/2018**Print Date: **30/08/2018** 

Safe handling

- Avoid all personal contact, including inhalation.
- ► Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.
- ► DO NOT allow clothing wet with material to stay in contact with skin

Other information

#### Conditions for safe storage, including any incompatibilities

Suitable container

- ► Polyethylene or polypropylene container.
- ▶ Packing as recommended by manufacturer.
- ► Check all containers are clearly labelled and free from leaks.

Storage incompatibility

None known

#### **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Not Available

#### **EMERGENCY LIMITS**

Ingredient	Material name		TEEL-1	TEEL-2	TEEL-3
hydroxyethanediphosphonic acid	Hydroxyethylidene-1,1-diphosphonic acid, 1-; (Hydroxyethylidine bisphosphonic acid, 1-)		7.2 mg/m3	79 mg/m3	480 mg/m3
Ingredient	Original IDLH	Revised IDLH	ised IDLH		
hydroxyethanediphosphonic acid	Not Available	Not Available			
water	Not Available	Not Available			

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

# Personal protection









# Eye and face protection

- ► Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

# Skin protection

# See Hand protection below

# ► Wear chemical protective gloves, e.g. PVC.

# ► Wear safety footwear or safety gumboots, e.g. Rubber

# Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care

# Body protection

See Other protection below

### Other protection

- Overalls.P.V.C. apron.
- Barrier cream.

# Recommended material(s)

# GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-*

Direct Bilirubin Vanadate

Material	CPI
BUTYL	A
NEOPRENE	A
VITON	A
NATURAL RUBBER	С

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	-AUS / Class1 P2	-
up to 50	1000	-	-AUS / Class 1 P2
up to 50	5000	Airline *	-

# **Direct Bilirubin Vanadate**

С

Issue Date: 30/08/2018 Print Date: 30/08/2018

PVA

\* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

\* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted. up to 100 5000 -2 P2 10000 -3 P2 up to 100 100+ Airline\*

\* - Continuous Flow \*\* - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur  $\label{eq:conditional} \mbox{dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = 100 \mbox{Mercury} + 100$ Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Appearance	Colourless		
Physical state	Liquid	Relative density (Water = 1)	1 @ 20C
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7	Decomposition temperature	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7	
<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Hazardous polymerisation will not occur.</li> </ul>		
Possibility of hazardous reactions	See section 7	
Conditions to avoid	See section 7	
Incompatible materials	See section 7	
Hazardous decomposition products	See section 5	

# **SECTION 11 TOXICOLOGICAL INFORMATION**

Inhaled N	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.  Not normally a hazard due to non-volatile nature of product		
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact th	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.  There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.		
FV/P	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Caronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
Direct Bilirubin Vanadate	TOXICITY  Not Available	IRRITATION Not Available	

TOXICITY	IRRITATION
Not Available	Not Available

Chemwatch: 9-581884 Page 5 of 7 Issue Date: 30/08/2018 Version No: 1.1 Print Date: 30/08/2018

#### **Direct Bilirubin Vanadate**

hydroxyethanediphosphonic acid			IRRITATION  Eye (rabbit): SEVERE  Skin (rabbit): Nil
water	water TOXICITY II  Not Available N		
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		from manufacturer's SDS. Unless otherwise specified

# **HYDROXYETHANEDIPHOSPHONIC**

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

Animal testing to date have not shown phosphonic acids or their salts to induce skin sensitisation. However, testing has been incomplete.

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

WATER No significant acute toxicological data identified in literature search.

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

★ - Data available but does not fill the criteria for classification

– Data available to make classification

Data Not Available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

Black Billed in Vene let	ENDPOINT	TEST DURATION (HR)	SPECIE	S	VALUE	SOURCE
Direct Bilirubin Vanadate	Not Available	Not Available	Not Ava	ilable	Not Available	Not Available
hydroxyethanediphosphonic acid	ENDPOINT	TEST DURATION (HR)	5	PECIES	VALUE	SOURCE
	LC50	96	F	ish	195mg/L	2
	EC50	48	(	Crustacea	=527mg/L	1
	NOEC	504	(	Crustacea	0.1mg/L	1
						·
	ENDPOINT	TEST DURATION (HR)	SPECIE	S	VALUE	SOURCE
water	Not Available	Not Available	Not Ava	ilable	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydroxyethanediphosphonic acid	HIGH	HIGH
water	LOW	LOW

#### Bioaccumulative potential

Ingredient	Bioaccumulation
hydroxyethanediphosphonic acid	LOW (BCF = 71)
water	LOW (LogKOW = -1.38)

Chemwatch: 9-581884 Page 6 of 7

Version No: 1.1

#### **Direct Bilirubin Vanadate**

Issue Date: **30/08/2018**Print Date: **30/08/2018** 

#### Mobility in soil

Ingredient	Mobility
hydroxyethanediphosphonic acid	LOW (KOC = 20.81)
water	LOW (KOC = 14.3)

#### **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- Reuse
- Recycling
- Disposal (if all else fails)

# Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- ▶ Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- ► Decontaminate empty containers.

# **SECTION 14 TRANSPORT INFORMATION**

# **Labels Required**

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

HYDROXYETHANEDIPHOSPHONIC ACID(2809-21-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

# National Inventory Status

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Y
Canada - NDSL	N (hydroxyethanediphosphonic acid; water)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	Y
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

### **SECTION 16 OTHER INFORMATION**

Chemwatch: 9-581884 Page 7 of 7 Issue Date: 30/08/2018 Version No: 1.1 Print Date: 30/08/2018

#### **Direct Bilirubin Vanadate**

Revision Date	30/08/2018
Initial Date	30/08/2018

#### Other information

#### Ingredients with multiple cas numbers

Name	CAS No
hydroxyethanediphosphonic acid	2809-21-4, 106908-76-3

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

# **Definitions and abbreviations**

 ${\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average}$ 

 ${\tt PC-STEL: Permissible \ Concentration-Short \ Term \ Exposure \ Limit}$ 

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$ 

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.