

Dimethyl Sulfoxide-D6 (D, 99.9%) Novachem Pty Ltd

Version No: 5.10

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **06/02/2023** Print Date: **06/02/2023** S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Dimethyl Sulfoxide-D6 (D, 99.9%)	
Chemical Name	dimethyl sulfoxide-D6	
Synonyms	DMSO; Methyl sulfoxide	
Chemical formula	C2-D6-O-S	
Other means of identification	DLM-10	
CAS number	2206-27-1*	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For professional use only

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Novachem Pty Ltd	Novachem Pty Ltd	
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia	25 Crissane Road, Heidelberg West Victoria 3081 Australia	
Telephone	Telephone +61384151255 +61384151255		
Fax +61386250088 +61386250088		+61386250088	
Website www.novachem.com.au www.novachem.com.au		www.novachem.com.au	
Email	novachem@novachem.com.au	novachem@novachem.com.au	

Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre	Victorian Poisons Information Centre	
Emergency telephone numbers	13 11 26	13 11 26	
Other emergency telephone numbers	Not Available	Not Available	

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	Not Applicable	
Classification ^[1]	Serious Eye Damage/Eye Irritation Category 2A, Flammable Liquids Category 4, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Skin Corrosion/Irritation Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)



Signal word Warning

Hazard statement(s)

H319	Causes serious eye irritation.
H227	Combustible liquid.
H335	May cause respiratory irritation.

Version No: 5.10 Page 2 of 9 Issue Date: 06/02/2023

Print Date: 06/02/2023 Dimethyl Sulfoxide-D6 (D, 99.9%)

> H315 Causes skin irritation.

Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P271	Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing mist/vapours/spray.	
P280	P280 Wear protective gloves, protective clothing, eye protection and face protection.	

Precautionary statement(s) Response

P370+P378	In case of fire: Use water spray/fog to extinguish.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	

Precautionary statement(s) Storage

	P405	Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.		

Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

CAS No	%[weight]	Name
67-68-5	100	dimethyl sulfoxide

Legend:

1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L;

* EU IOELVs available

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of first aid measures

2000 i piloti di motodi di			
Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.		
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.		
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. 		
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice. 		

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- ► Foam.
- Dry chemical powder.
- ► BCF (where regulations permit).

Version No: 5.10 Page 3 of 9 Issue Date: 06/02/2023

Print Date: 06/02/2023

Dimethyl Sulfoxide-D6 (D, 99.9%)

Special hazards arising from the substrate or mixture

Fire Incompatibility

▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- Use water delivered as a fine spray to control fire and cool adjacent area.

Combustible.Slight fire hazard when exposed to heat or flame.

▶ Heating may cause expansion or decomposition leading to violent rupture of containers.

▶ On combustion, may emit toxic fumes of carbon monoxide (CO)

Fire/Explosion Hazard Combustion products include:

carbon dioxide (CO2)

sulfur oxides (SOx)

other pyrolysis products typical of burning organic material.

May emit poisonous fumes May emit corrosive fumes.

HAZCHEM Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

М	in	٦r	Sr	١ij	le

- Remove all ignition sources.
- ► Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- ▶ Control personal contact with the substance, by using protective equipment.

Major Spills

Moderate hazard.

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
 Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- ▶ Prevent concentration in hollows and sumps.
- ▶ DO NOT allow clothing wet with material to stay in contact with skin

Other information

Consider storage under inert gas

- ▶ Material is hygroscopic, i.e. absorbs moisture from the air. Keep containers well sealed in storage
- Store in original containers.
- ► Keep containers securely sealed.
- No smoking, naked lights or ignition sources.
- ► Store in a cool, dry, well-ventilated area.

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ Glass container is suitable for laboratory quantities
- Metal can or drum
- Packaging as recommended by manufacturer.
- ▶ Check all containers are clearly labelled and free from leaks.

Storage incompatibility

- Many aprotic (non-hydroxylic) solvents are not inert towards other reagents and care must be taken when using untried combinations of solvents an reagents for the first time.
- Some aprotic solvents have a dramatic effect on reaction rates

Dimethyl sulfoxide:

reacts violently or explosively with oxidisers, acryl halides, aryl halides and related compounds, non-metallic chlorides and other active halogen compounds, p-bromobenzoyl acetanilide, diborane, boron compounds, iodine pentafluoride, magnesium perchlorate, methyl bromide, perchloric acid, periodic acid, silver fluoride, sodium hydride, potassium permanganate

forms powerfully explosive mixtures with metal salts of oxoacids

All blends containing DMSO must be buffered at pH 7-9 before distillation.

Prolonged heating above 15 deg.C (302 deg. F) can cause rapid, exothermic decomposition

Dimethyl Sulfoxide-D6 (D, 99.9%)

- Print Date: 06/02/2023
- Sulfoxide ion may react violently or explosively with acyl halides, non-metal halides, benzenesulfonyl halides, cyanuric halides, oxalyl phosphorus trihalides, phosphorus oxyhalides, sulfuryl halides and thionyl halides. These violent reactions may occur as a result of exothermic polymerisation of formaldehyde produced by the interaction of the sulfoxide with reactive halides, and acidic or basic reagents.
- Alkyl halides may produce a delayed, vigorous and strongly exothermic reaction.
- Strong bases may produce violent ignition.
- ► Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
dimethyl sulfoxide	150 ppm	290 ppm	1,800 ppm

Ingredient	Original IDLH	Revised IDLH
dimethyl sulfoxide	Not Available	Not Available

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
dimethyl sulfoxide	Е	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection











Eye and face protection

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

Skin protection

See Hand protection below

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when

Hands/feet protection

making a final choice.
Personal hygiene is a key element of effective hand care.

- Aprotic solvents may greatly promote the toxic properties of solutes because of their unique ability to penetrate synthetic rubber protective gloves and the skin (butyl rubber gloves are reported to be more satisfactory than others
- Neoprene gloves

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C apron.Barrier cream.
- Skin cleansing cream.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Dimethyl Sulfoxide-D6 (D, 99.9%)

Material	CPI
BUTYL	A
HYPALON	A

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required Maximum gas/vapour concentration present in protection factor p.p.m. (by volume)	n air Half-face Respirator	Full-Face Respirator
---	-------------------------------	-------------------------

Version No: 5.10 Page 5 of 9 Issue Date: 06/02/2023 Print Date: 06/02/2023

Dimethyl Sulfoxide-D6 (D, 99.9%)

NEOPRENE	A
NEOPRENE/NATURAL	Α
PE/EVAL/PE	Α
NITRILE+PVC	В
NATURAL RUBBER	С
NATURAL+NEOPRENE	С
NITRILE	С
PVC	С

^{*} CPI - Chemwatch Performance Index

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

^{* -} Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or $hydrogen\ cyanide(HCN),\ B3 = Acid\ gas\ or\ hydrogen\ cyanide(HCN),\ E = Sulfur$ $\label{eq:conditional} \mbox{dioxide}(SO2), \ G = \mbox{Agricultural chemicals}, \ K = \mbox{Ammonia}(\mbox{NH3}), \ \mbox{Hg} = \mbox{Mercury}, \ \mbox{NO} = \$ Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- ▶ Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- ▶ The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- ▶ Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colorless - Very pale yellow, Clear Liquid		
Physical state	Liquid	Relative density (Water = 1)	1.19
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	301
pH (as supplied)	Not Applicable	Decomposition temperature (°C)	>190
Melting point / freezing point (°C)	16 - 19	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	189	Molecular weight (g/mol)	84.17
Flash point (°C)	87	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Combustible.	Oxidising properties	Not Available
Upper Explosive Limit (%)	42	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	3.5	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	0.05	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	2.7	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

Dimethyl Sulfoxide-D6 (D, 99.9%)

Issue Date: **06/02/2023**Print Date: **06/02/2023**

Hazardous decomposition products

Skin Irritation/Corrosion

Respiratory or Skin sensitisation

Mutagenicity

×

×

Serious Eye Damage/Irritation

See section 5

products			
SECTION 11 Toxicological in			
Information on toxicological ef	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation hazard is increased at higher temperatures. Inhalation of vapours of DMSO may cause cough or a burning sensation. High concentrations may cause nausea, vomiting, chills, cramps, headache, dizziness, tiredness, and allergic reactions. Very high doses may be lethal. Repeated exposure may cause liver damage and inflammation of the airway and lung.		
Ingestion	Accidental ingestion of the material may be damaging to the P DMSO has very few toxic symptoms in humans. The most co body and breath. Swallowing large quantities of DMSO may of	mmon are nausea, skin rashe	
Skin Contact	The material may accentuate any pre-existing dermatitis condition Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Topical exposure to DMSO results in stinging sensation, skin burns, redness, itching, scaly rashes and blisters. There may be garlic breath, transient disturbances of colour vision, headache, aversion to light, diarrhoea, numbness, tiredness, chills, chest pains, aching eyes, dark urine from rapid breakdown of the blood, drowsiness and shock. DMSO is commonly used as a carrier for topical preparations of many chemicals including drugs. Contact with DMSO solutions containing toxic material or materials with unknown toxicology should be avoided, as DMSO easily penetrates the skin and may enhance the rate of skin absorption of other skin-permeable substances. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.		
Eye	Direct contact with high concentrations of DMSO produces irritation with temporary stinging and burning. Lower concentrations do not appear to cause injury and are tolerated well. Application of its full strength to the eye may cause pain, moderate discharge, corneal injury and dilation of the conjunctival blood vessels with bleeding. These effects are reversed within 2 days. Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals. Prolonged eye contact may cause inflammation characterised by a temporary redness of the conjunctiva (similar to windburn).		
Chronic	Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Topical application for 6 months resulted in bad breath, transient reddening of skin, burning and stinging with moderate inflammation. These reversed with continuation of treatment. Continuous applications under an occluding membrane produced hardening of the skin within a month. There could be eye changes, leading to visual impairment; lung inflammation, liver enlargement, and kidney damage may occur.		
	TOVICITY	IDDITATION	
Dimethyl Sulfoxide-D6 (D, 99.9%)	TOXICITY Not Available	IRRITATION Not Available	
		'	
	TOXICITY	IRRITATION	
dimethyl sulfoxide	dermal (rat) LD50: ~40000 mg/kg[^{1]}	Not Available	
	Inhalation(Rat) LC50: >1.6 mg/L4h ^[2]		
	Oral (Mouse) LD50; 7920 mg/kgl ²		
Legend:	Nalue obtained from Europe ECHA Registered Substances specified data extracted from RTECS - Register of Toxic Effective Processing Section 1. Value obtained from Europe ECHA Registered Substances		ined from manufacturer's SDS. Unless otherwise
DIMETHYL SULFOXIDE	DMSO (dimethyl sulfoxide) is absorbed following inhalation, through the skin and after oral intake. Topical application causes mild redness, burning, stinging and itching, which disappear after discontinuation. It is mildly irritating to the eye and may induce tear formation with a brief burning sensation. Long term exposure may cause poor weight gain and changes in the blood and eye. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.		
Dimethyl Sulfoxide-D6 (D, 99.9%) & DIMETHYL SULFOXIDE	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. Extensive monitoring of humans has shown that DMSO does not affect human kidney function. Although it causes an increase in urine production, no sign of kidney damage or cancer has been found. Repeated skin application can cause occasional skin irritation, garlicky breath and body odour. It is metabolised in the body and excreted in the urine, faeces, through the breath and skin.		
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corresion		Reproductivity	·

Aspiration Hazard		×
Legend:	💢 – Data either n	ot available or does not fill the criteria for classification

V

×

Reproductivity

STOT - Single Exposure

STOT - Repeated Exposure

Version No: 5.10 Page 7 of 9 Issue Date: 06/02/2023 Print Date: 06/02/2023

Dimethyl Sulfoxide-D6 (D, 99.9%)

Data available to make classification

SECTION 12 Ecological information

Toxicity

Dimethyl Sulfoxide-D6 (D, 99.9%)	Endpoint Not	Test Duration (hr)	Species	Value Not	Source Not
	Available	Not Available	Not Available	Available	Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	96h	Fish	0.003mg/L	4
dimethyl sulfoxide	LC50	96h	Fish	>25000mg/L	2
	EC50	72h	Algae or other aquatic plants	12000mg/L	2
	EC50	96h	Algae or other aquatic plants	17.75mg/l	2
	EC50	48h	Crustacea	24600mg/L	2
Legend:		1. IUCLID Toxicity Data 2. Europe ECHA Registe	•	, ,	
		e - Aquatic Toxicity Data 5. ECETOC Aquatic Ha on Data 8. Vendor Data	azard Assessment Data 6. NITE (Japan) - Bi	ioconcentration Data 7. N	1ETI (Japa

For Dimethyl Sulfoxide (DMSO): Half-life (hr): 7; Melting Point: 18.5 C; Boiling Point: 189 C (at 1,013 hPa); log Kow: -1.35; Vapor Pressure: 0.81 hPa @ 25 C; Henry Law's Constant: 1.17 10+5 mol.kg-1.atm-1.

Environmental Fate: DMSO is a colorless liquid which, in some cases, has a light, characteristic sulfur odor due to traces of the raw material dimethyl sulfide. The main compartments will be soil (60.4%) and water (39.5%) with the remainder partitioning between air (0.0334%) and sediment (0.0723%).

Aquatic Fate: DMSO is able to mix in all proportion with water and with most of the common organic solvents such as alcohols, esters, ketones, ethers, chlorinated solvents and

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
dimethyl sulfoxide	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
dimethyl sulfoxide	LOW (BCF = 0.4)

Mobility in soil

Ingredient	Mobility
dimethyl sulfoxide	LOW (KOC = 4.411)

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ► Reuse
- ► Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.

Where in doubt contact the responsible authority.

In the absence of dissolved oxygen and in the presence of bacteria, a small amount of DMSO can be reduced to DMS (dimethyl sulfide), which produces a nauseating odour at very small concentrations.

These specific conditions occur mainly with DMSO effluents in poorly aerated, non sterile storage tanks or in biological waste treatment plant. With spot quantity of DMSO effluents in drums or storage tank, odour can be prevented or eliminated with 0,3% concentration of castor oil

- In biological water treatment plant, DMS formation can be inhibited with less than 5 ppm of nitrates such as KNO3.
- Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Authority for disposal.
- Bury or incinerate residue at an approved site.
- Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Dimethyl Sulfoxide-D6 (D, 99.9%)

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
dimethyl sulfoxide	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
dimethyl sulfoxide	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

dimethyl sulfoxide is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -

Schedule 6

Australian Inventory of Industrial Chemicals (AIIC)

FEI Equine Prohibited Substances List - Controlled Medication FEI Equine Prohibited Substances List (EPSL)

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (dimethyl sulfoxide)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	06/02/2023
Initial Date	26/08/2015

SDS Version Summary

Version	Date of Update	Sections Updated
4.10	06/02/2023	Physical Properties

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

Version No: 5.10 Page 9 of 9 Issue Date: 06/02/2023 Print Date: 06/02/2023

Dimethyl Sulfoxide-D6 (D, 99.9%)

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers
ENCS: Existing and New Chemical Substances Inventory
KECI: Korea Existing Chemicals Inventory
NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.