

Novachem Pty Ltd

Version No: 1.1.18.11 Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements Chemwatch Hazard Alert Code: 3

Issue Date: 22/09/2021 Print Date: 22/09/2021 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	LAURIC ACID (METHYL-D3, 99%)
Chemical Name	Lauric acid-12,12,12-d3
Synonyms	Not Available
Other means of identification	DLM-3062
CAS number	79050-22-9*

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For professional use only

Details of the supplier of the safety data sheet

Registered company name	Novachem Pty Ltd Novachem Pty Ltd	
Address 25 Crissane Road, Heidelberg West Victoria 3081 Australia 25 Crissane Road, Heidelberg West Victoria 3081 Australia		25 Crissane Road, Heidelberg West Victoria 3081 Australia
Telephone +61384151255 +61384151255		+61384151255
Fax +61386250088 +61386250088		+61386250088
Website www.novachem.com.au www.novachem.com.au		www.novachem.com.au
Email	novachem@novachem.com.au	novachem@novachem.com.au

Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre	Victorian Poisons Information Centre
Emergency telephone numbers	13 11 26	13 11 26
Other emergency telephone numbers	Not Available	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	3		1 = Low
Reactivity	0		2 = Moderate
Chronic	0	1	3 = High 4 = Extreme

Poisons Schedule	Poisons Schedule Not Applicable	
Classification ^[1]	Classification ^[1] Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Acute Hazard Category 2	
Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI		

Label elements

Hazard pictogram(s)



Signal word	Danger
Hazard statement(s)	
Hazaru statement(s)	
H318	Causes serious eye damage.
H401	Toxic to aquatic life.
Precautionary statement(s) Pre	evention
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P273	Avoid release to the environment.
Precautionary statement(s) Res	sponse
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

Immediately call a POISON CENTER/doctor/physician/first aider.

SECTION 3 Composition / information on ingredients

P310

Substances

CAS No		%[weight]	Name
79050-22-9	*	100	LAURIC ACID (METHYL-D3, 99%)
Legend:	1. Classified by Chem * EU IOELVs available		3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of first aid measures		
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 	
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. 	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.

Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.
Major Spills	Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer.
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

•				
Occupational Exposure Limits (OEL)			
INGREDIENT DATA				
Not Available				
Emergency Limits				
Ingredient	TEEL-1	TEEL-2		TEEL-3
LAURIC ACID (METHYL-D3, 99%)	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
LAURIC ACID (METHYL-D3, 99%)	Not Available		Not Available	
Exposure controls				
Appropriate engineering	Engineering controls are used to remove a hazz be highly effective in protecting workers and will The basic types of engineering controls are:	I typically be independent	of worker interactions to	provide this high level of protection.

controls Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency
and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered,

positive flow, full face apparatus may be an option).
 Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or

vendor recommended.
Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection

Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Use approved positive flow mask if significant quantities of dust becomes airborne.

Try to avoid creating dust conditions.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appea	ance white crystalline solid		
Physical	state Solid	Relative density (Water = 1)	0.883
c	dour Not Available	Partition coefficient n-octanol / water	Not Available
Odour three	hold Not Available	Auto-ignition temperature (°C)	Not Available
pH (as sup	Not Available	Decomposition temperature	Not Available
Melting point / freezing	(°C) 44-46	Viscosity (cSt)	Not Available
Initial boiling point and be range	- 225	Molecular weight (g/mol)	Not Available
Flash poin	t (°C) 160-165	Taste	Not Available

Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Eye	If applied to the eyes, this material causes severe eye damage.			
Chronic	Long-term exposure to the product is not thought to produce chronic effects models); nevertheless exposure by all routes should be minimised as a mate		ealth (as classified by EC Directives using animal	
LAURIC ACID (METHYL-D3,	ΤΟΧΙΟΙΤΥ	IRRITATION		
99%)	Not Available	Not Available		
LAURIC ACID (METHYL-D3, 99%)		IRRITATION Not Available		
33 /0)				
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical		ned from manufacturer's SDS. Unless otherwise	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical	Substances		
Legend: Acute Toxicity	Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical	Substances	×	
Legend: Acute Toxicity Skin Irritation/Corrosion	1. Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical	Substances Carcinogenicity Reproductivity	× ×	
Legend: Acute Toxicity Skin Irritation/Corrosion	1. Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical	Substances	×	
Legend: Acute Toxicity	1. Value obtained from Europe ECHA Registered Substances - Acute toxici specified data extracted from RTECS - Register of Toxic Effect of chemical X C X C X STOT - Si	Substances Carcinogenicity Reproductivity	× ×	

SECTION 12 Ecological information

Toxicity					
LAURIC ACID (METHYL-D3,	Endpoint	Test Duration (hr)	Species	Value	Source
99%)					

	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
LAURIC ACID (METHYL-D3, 99%)	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	V3.12 (QSAR	n 1. IUCLID Toxicity Data 2. Europe ECHA Registere) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecc (Japan) - Bioconcentration Data 7. METI (Japan) - B	otox database - Aquatic Toxicity Data 5. ECETOC Aq		

Toxic to aquatic organisms.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients
Bioaccumulative potenti	al	
Ingredient	Bioaccumulation	
	No Data available for all ingredients	
Mobility in soil		
Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	--

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
LAURIC ACID (METHYL-D3, 99%)	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
LAURIC ACID (METHYL-D3, 99%)	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

LAURIC ACID (METHYL-D3, 99%) is found on the following regulatory lists

Not Applicable	•
----------------	---

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia	No (LAURIC ACID (METHYL-D3, 99%))

National Inventory	Status
Non-Industrial Use	
Canada - DSL	No (LAURIC ACID (METHYL-D3, 99%))
Canada - NDSL	No (LAURIC ACID (METHYL-D3, 99%))
China - IECSC	No (LAURIC ACID (METHYL-D3, 99%))
Europe - EINEC / ELINCS / NLP	No (LAURIC ACID (METHYL-D3, 99%))
Japan - ENCS	No (LAURIC ACID (METHYL-D3, 99%))
Korea - KECI	No (LAURIC ACID (METHYL-D3, 99%))
New Zealand - NZIoC	No (LAURIC ACID (METHYL-D3, 99%))
Philippines - PICCS	No (LAURIC ACID (METHYL-D3, 99%))
USA - TSCA	No (LAURIC ACID (METHYL-D3, 99%))
Taiwan - TCSI	No (LAURIC ACID (METHYL-D3, 99%))
Mexico - INSQ	No (LAURIC ACID (METHYL-D3, 99%))
Vietnam - NCI	No (LAURIC ACID (METHYL-D3, 99%))
Russia - FBEPH	No (LAURIC ACID (METHYL-D3, 99%))
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	22/09/2021
Initial Date	22/09/2021

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors **BEI: Biological Exposure Index** AIIC: Australian Inventory of Industrial Chemicals **DSL: Domestic Substances List** NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.