

Novachem Pty Ltd

Part Number: DLM-8740 Version No: 1.1 Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	1-METHYLIMIDAZOLE (D6, 98%)	
Chemical Name	-Methylimidazole-d6	
Synonyms	ot Available	
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	
Other means of identification	DLM-8740	
CAS number	285978-27-0*	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	For professional use only
noiovant laonanca aboo	i or protoboloriar abo orny

Details of the supplier of the safety data sheet

Registered company name	Novachem Pty Ltd	Novachem Pty Ltd
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia	25 Crissane Road, Heidelberg West Victoria 3081 Australia
Telephone	Telephone +61384151255 +61384151255	
Fax	Fax +61386250088 +61386250088	
Website www.novachem.com.au www.novachem.com.au		www.novachem.com.au
Email	novachem@novachem.com.au	novachem@novachem.com.au

Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre	Victorian Poisons Information Centre
Emergency telephone numbers	13 11 26	13 11 26
Other emergency telephone numbers	Not Available	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

ChemWatch Hazard Ratings

	Min	Max	
Flammability	1 📃		
Toxicity	3		0 = Minimum
Body Contact	3		1 = Low
Reactivity	0		2 = Moderate
Chronic	0	1	3 = High 4 = Extreme

Poisons Schedule	Schedule Not Applicable	
Classification ^[1]	Classification [1] Acute Toxicity (Dermal) Category 3, Flammable Liquids Category 4, Hazardous to the Aquatic Environment Acute Hazard Category 3, Seriou Eye Damage/Eye Irritation Category 1, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2	
Legend: 1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex Vi		

Label elements

Chemwatch Hazard Alert Code: 3

Issue Date: 04/03/2022 Print Date: 04/03/2022 S.GHS.AUS.EN

Hazard pictogram(s)	

Signal word Danger

Hazard statement(s)

()	
H311	Toxic in contact with skin.
H227	Combustible liquid.
H402	Harmful to aquatic life.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H315	Causes skin irritation.

Precautionary statement(s) Prevention

P210	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P280	P280 Wear protective gloves, protective clothing, eye protection and face protection.	
P264	Wash all exposed external body areas thoroughly after handling.	
P270	P270 Do not eat, drink or smoke when using this product.	

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider.	
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.	
P302+P352	IF ON SKIN: Wash with plenty of water.	

Precautionary statement(s) Storage

•	-
P403	Store in a well-ventilated place.
P405	Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

CAS No		%[weight]	Name
285978-27-	-0*	100	1-METHYLIMIDAZOLE (D6. 98%)
Legend:	1. Classified by Chem * EU IOELVs available		3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L

Mixtures

See section above for composition of Substances

SECTION 4 First aid measures

Description of	of first aid	measures
----------------	--------------	----------

Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.

Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.
-----------	---

Indication of any immediate medical attention and special treatment needed

For acute or short-term repeated exposures to highly alkaline materials:

- Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- ▶ The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
- Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.
- Alkalis continue to cause damage after exposure.

INGESTION:

Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

- ▶ Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.

* Activated charcoal does not absorb alkali.

* Gastric lavage should not be used.

Supportive care involves the following:

Withhold oral feedings initially.

- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Advice	for	fire	figl	hters
--------	-----	------	------	-------

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). Combustion products include: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes.
HAZCHEM	2X

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.
	Continued

▶ Prevent, by any means available, spillage from entering drains or water course.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. For low viscosity materials Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.): Removable head packaging; Cans with friction closures and Iow pressure tubes and cartridges may be used.
Storage incompatibility	Avoid reaction with oxidising agents



X — Must not be stored together

0 — May be stored together with specific preventions

+ - May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1 TEEL-2			TEEL-3
1-METHYLIMIDAZOLE (D6, 98%)	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
1-METHYLIMIDAZOLE (D6, 98%)	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating		Occupational Exposure Band Limit	
1-METHYLIMIDAZOLE (D6, 98%)	E		≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically
-------------------------------------	--

Page 5 of 9

1-METHYLIMIDAZOLE (D6, 98%)

	"adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Chemical goggles. Full face shield may be required for supplementary but never for primary protection of eyes. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	 Overalls. Eyewash unit. Barrier cream. Skin cleansing cream.

Respiratory protection

Type AK Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	AK-AUS / Class1	-
up to 50	1000	-	AK-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	AK-2
up to 100	10000	-	AK-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.

The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid		
Physical state	Liquid	Relative density (Water = 1)	1.03
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	488
pH (as supplied)	9.5-11.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	-6	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	198	Molecular weight (g/mol)	88.14
Flash point (°C)	92	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Combustible.	Oxidising properties	Not Available
Upper Explosive Limit (%)	15.7	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	2.7	Volatile Component (%vol)	Not Available

Continued...

1-METHYLIMIDAZOLE (D6, 98%)

Vapour pressure (kPa)	0.05	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled			The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.		
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.				
Skin Contact	Skin contact with the material may produce toxic effects; systemic effects may result following absorption. The material can produce chemical burns following direct contact with the skin. Skin contact with alkaline corrosives may produce severe pain and burns; brownish stains may develop. The corroded area may be soft, gelatinous and necrotic; tissue destruction may be deep. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material can produce severe chemical burns following direct contact with the skin.				
	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness. The material can produce severe chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating.				
Eye	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a	and blindnes	SS.		
Eye	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a	and blindnes ct. Vapours inflammator al pneumon g difficulty b	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems.		
Chronic	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some cor	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems.		
	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems.		
Chronic 1-METHYLIMIDAZOLE (D6, 98%)	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some contact TOXICITY IRRITA	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION railable	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems.		
Chronic 1-METHYLIMIDAZOLE (D6,	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some contact TOXICITY IRRITA Not Available Not Av	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION vailable ATION	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems.		
Chronic 1-METHYLIMIDAZOLE (D6, 98%) 1-METHYLIMIDAZOLE (D6,	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some contact TOXICITY IRRITA Not Available Not Available	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION vailable ATION vailable Value obtair	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems. ring repeated or long-term occupational exposure.		
Chronic 1-METHYLIMIDAZOLE (D6, 98%) 1-METHYLIMIDAZOLE (D6, 98%)	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some correct IRRITA Not Available TOXICITY IRRITA Not Available Not Available Not Av 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Mark	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION vailable Value obtair ances value obtair ances	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems. ing repeated or long-term occupational exposure. need from manufacturer's SDS. Unless otherwise ends. This may be due to a non-allergic condition nigh levels of highly irritating compound. Main i individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible		
Chronic 1-METHYLIMIDAZOLE (D6, 98%) 1-METHYLIMIDAZOLE (D6, 98%) Legend: 1-METHYLIMIDAZOLE (D6,	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some corrosives accumulation, in the human body, may occur and may cause some corrosives TOXICITY IRRITA Not Available Not Available Not Av 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* V specified data extracted from RTECS - Register of Toxic Effect of chemical Substance a sthma-like symptoms may continue for months or even years after exposure to the known as reactive airways dysfunction syndrome (RADS) which can occur after ex- criteria for diagnosing RADS include the absence of previous airways disease in a asthma-like symptoms within minutes to hours of a documented exposure to the ir airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity lymphocytic inflammation, without eosinophilia.	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION vailable Value obtair ances value obtair ances	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems. ing repeated or long-term occupational exposure. need from manufacturer's SDS. Unless otherwise ends. This may be due to a non-allergic condition nigh levels of highly irritating compound. Main i individual, with sudden onset of persistent or criteria for diagnosis of RADS include a reversible		
Chronic 1-METHYLIMIDAZOLE (D6, 98%) 1-METHYLIMIDAZOLE (D6, 98%) Legend: 1-METHYLIMIDAZOLE (D6, 98%)	permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball a The material can produce severe chemical burns to the eye following direct contact Repeated or prolonged exposure to corrosives may result in the erosion of teeth, i (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchia Long-term exposure to respiratory irritants may result in airways disease, involving Substance accumulation, in the human body, may occur and may cause some correct Not Available TOXICITY IRRITA Not Available Not Available Not Av 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* V specified data extracted from RTECS - Register of Toxic Effect of chemical Substance a sthma-like symptoms may continue for months or even years after exposure to the known as reactive airways dysfunction syndrome (RADS) which can occur after ex- criteria for diagnosing RADS include the absence of previous airways disease in a asthma-like symptoms within minutes to hours of a documented exposure to the ir airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity lymphocytic inflammation, without eosinophilia.	and blindnes ct. Vapours inflammator al pneumon g difficulty b ncern follow ATION vailable Value obtair ances the material xposure to b a non-atopic rritant. Othe y on methac	ss. or mists may be extremely irritating. y and ulcerative changes in the mouth and necrosis ia may ensue. reathing and related whole-body problems. ring repeated or long-term occupational exposure.		

Respiratory or Skin sensitisation	×	STOT - F	Repeated Exposure	×
Mutagenicity	×		Aspiration Hazard	×
		Legend:		available or does not fill the criteria for classification to make classification

SECTION 12 Ecological information

Endpoint	Test Duration (hr)	Species	Value	Source
6, Not Available	Not Available	Not Available	Not Available	Not Available
Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Available	Not Available	Not Available	Not Available
	Not Available Endpoint Not Available Extracted from	Not Available Not Available Endpoint Test Duration (hr) Not Available Not Available Extracted from 1. IUCLID Toxicity Data 2. Europe ECH	Not Available Not Available Not Available Endpoint Test Duration (hr) Species Not Available Not Available Not Available Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological In Not Available	Not Available Not Available Not Available Not Available Endpoint Test Duration (hr) Species Value Not Not Available Not Not

Harmful to aquatic organisms.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Persistence: Water/Soil	Persistence: Air	
No Data available for all ingredients	No Data available for all ingredients	
Bioaccumulation		
No Data available for all ingredients		
Mobility		
No Data available for all ingredients		
	No Data available for all ingredients Bioaccumulation No Data available for all ingredients Mobility	

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus Decontaminate empty containers.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	2X
Land transport (ADG)	

UN number 3267 UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. Transport hazard class(es) Class 8 Subrisk Not Applicable					
Transport hazard class(es)	UN number	3267	3267		
Transport hazard class(es)	UN proper shipping name	CORROSIV	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.		
	Transport hazard class(es)	Class Subrisk	8 Not Applicable		

Packing group	П	
Environmental hazard	Not Applicable	
Special precautions for user	Special provisions	274
Special precautions for user	Limited quantity	1L

Air transport (ICAO-IATA / DGR)

UN number	3267			
UN proper shipping name	Corrosive liquid, basic, organic, n.o.s. *			
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L		
Packing group	П			
Environmental hazard	Not Applicable			
Special precautions for user		Qty / Pack Packing Instructions	A3 A803 855 30 L 851 1 L Y840 0.5 L	

Sea transport (IMDG-Code / GGVSee)

UN number	3267		
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.		
Transport hazard class(es)	IMDG Class IMDG Subrisk	8 Not Applicable	
Packing group	II		
Environmental hazard	Not Applicable		
Special precautions for user	EMS Number Special provisions Limited Quantities		

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
1-METHYLIMIDAZOLE (D6, 98%)	Not Available

Transport in bulk in accordance with the ICG Code Product name Ship Type 1-METHYLIMIDAZOLE (D6, 98%) Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

1-METHYLIMIDAZOLE (D6, 98%) is found on the following regulatory lists

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	No (1-METHYLIMIDAZOLE (D6, 98%))
Canada - DSL	No (1-METHYLIMIDAZOLE (D6, 98%))
Canada - NDSL	No (1-METHYLIMIDAZOLE (D6, 98%))
China - IECSC	No (1-METHYLIMIDAZOLE (D6, 98%))
Europe - EINEC / ELINCS / NLP	No (1-METHYLIMIDAZOLE (D6, 98%))

National Inventory	Status
Japan - ENCS	No (1-METHYLIMIDAZOLE (D6, 98%))
Korea - KECI	No (1-METHYLIMIDAZOLE (D6, 98%))
New Zealand - NZIoC	No (1-METHYLIMIDAZOLE (D6, 98%))
Philippines - PICCS	No (1-METHYLIMIDAZOLE (D6, 98%))
USA - TSCA	No (1-METHYLIMIDAZOLE (D6, 98%))
Taiwan - TCSI	No (1-METHYLIMIDAZOLE (D6, 98%))
Mexico - INSQ	No (1-METHYLIMIDAZOLE (D6, 98%))
Vietnam - NCI	No (1-METHYLIMIDAZOLE (D6, 98%))
Russia - FBEPH	No (1-METHYLIMIDAZOLE (D6, 98%))
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	04/03/2022
Initial Date	04/03/2022

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOXEL: Lowest Observed Adverse Effect Level LOX Threshold Limit Value LOD: Limit of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List IECSC: Inventory of Existing Chemical Substances ELINCS: European Liventory of Existing Commercial chemical Substances ELINCS: European Liventory of Existing Commercial chemical Substances ELINCS: European Liventory of Existing Commercial chemical Substances ELINCS: European Liventory of Chemical Substances ELINCS: European Liventory of Chemical Substances ELINCS: European Liventory of Chemicals DNP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances
Powered by AuthorITe, from Chemwatch.