

Novachem Pty Ltd

Version No: 1.1

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: 03/09/2018 Print Date: 03/09/2018 S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Pineronyl Butoxide
Chemical Name	piperonyl butoxide
Synonyms	DRE-C16240000
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains piperonyl butoxide)
Chemical formula	C19H30O5
Other means of identification	Not Available
CAS number	51-03-6*

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	No further relevant information available

Details of the supplier of the safety data sheet

Registered company name	Novachem Pty Ltd
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia
Telephone	+61384151255
Fax	+61386250088
Website	www.novachem.com.au
Email	novachem@novachem.com.au

Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification ^[1]	Acute Toxicity (Oral) Category 4, Acute Toxicity (Dermal) Category 4, Acute Toxicity (Inhalation) Category 4, Acute Aquatic Hazard Category 1, Chronic Aquatic Hazard Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)	
SIGNAL WORD	WARNING

Hazard statement(s)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

Precautionary statement(s) Response

P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

	P501 Dispose of contents/container in accordance with local regulations.	
SECTION & CONDOCITION (INFORMATION ON INC		

Substances

CAS No	%[weight]	Name
51-03-6	100	piperonyl butoxide

Mixtures

See section above for composition of Substances

SECTION 4 FIRST AID MEASURES

Description of first aid measures

•	
Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY. For advice, contact a Poisons Information Centre or a doctor. Urgent hospital treatment is likely to be needed. In the mean time, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition. If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the SDS should be provided. Further action will be the responsibility of the medical specialist. If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the SDS. Where medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise: INDUCE vomiting with fingers down the back of the throat, ONLY IF CONSCIOUS. Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. NOTE: Wear a protective glove when inducing vomiting by mechanical means.

Indication of any immediate medical attention and special treatment needed

As in all cases of suspected poisoning, follow the ABCDEs of emergency medicine (airway, breathing, circulation, disability, exposure), then the ABCDEs of toxicology (antidotes, basics, change absorption, change distribution, change elimination).

For poisons (where specific treatment regime is absent):

BASIC TREATMENT

• Establish a patent airway with suction where necessary.

- Watch for signs of respiratory insufficiency and assist ventilation as necessary.
- Administer oxygen by non-rebreather mask at 10 to 15 L/min.
- Monitor and treat, where necessary, for pulmonary oedema.

- Monitor and treat, where necessary, for shock.
- Anticipate seizures.

• DO NOT use emetics. Where ingestion is suspected rinse mouth and give up to 200 ml water (5 ml/kg recommended) for dilution where patient is able to swallow, has a strong gag reflex and does not drool.

ADVANCED TREATMENT

- _____
- Consider orotracheal or nasotracheal intubation for airway control in unconscious patient or where respiratory arrest has occurred.
- Positive-pressure ventilation using a bag-valve mask might be of use.
- Monitor and treat, where necessary, for arrhythmias.
- Start an IV D5W TKO. If signs of hypovolaemia are present use lactated Ringers solution. Fluid overload might create complications.
- Drug therapy should be considered for pulmonary oedema.
- + Hypotension with signs of hypovolaemia requires the cautious administration of fluids. Fluid overload might create complications.
- Treat seizures with diazepam.
- Proparacaine hydrochloride should be used to assist eye irrigation.
- BRONSTEIN, A.C. and CURRANCE, P.L.
- EMERGENCY CARE FOR HAZARDOUS MATERIALS EXPOSURE: 2nd Ed. 1994

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	► Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Heating may cause expansion or decomposition leading to violent rupture of containers. On combustion, may emit toxic fumes of carbon monoxide (CO). Combustion products include: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.
HAZCHEM	•3Z

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Environmental hazard - contain spillage. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Environmental hazard - contain spillage. Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling	Precautions for safe handling		
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. 		
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. 		

Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

· · · · · · · · · · · · · · · · · · ·	
Suitable container	 Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2		TEEL-3	
piperonyl butoxide	Piperonyl butoxide	6.5 mg/m3	72 mg/m	3	1,200 mg/m3	
Ingredient	Original IDLH		Revised IDLH			
piperonyl butoxide	Not Available		Not Available			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Personal protection	
Eye and face protection	 Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C. apron. Barrier cream.

Respiratory protection

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content. The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	1.04-1.07
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available

Initial boiling point and boiling range (°C)	180 C @ 0.13 kPa	Molecular weight (g/mol)	338.49
Flash point (°C)	212	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	Inhalation of aerosols (mists, fumes), generated by the material during the course of normal handling, may be h The material is not thought to produce respiratory irritation (as classified by EC Directives using animal model fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, dist Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced co-ordination, and vertigo. Inhalation of large amounts of PBO may cause tearing, salivation, laboured breathing, accumulation of fluid in th problems such as asthma. There may also be inflammation of linings of the throat and nostrils. Methylenedioxybenzene synergists cause loss of appetite, vomiting, diarrhoea, inflamed bowel with bleeding, b central depression.	narmful. s). Nevertheless inhalation of vapours, ress. alertness, loss of reflexes, lack of ne lungs, and may be linked to breathing ileeding from the lung, wasting and possible
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 damage to the health of the individual. Piperonyls may cause watery eyes, irritability, weakness, bleeding in the gut and lungs, bloody discharge from e thyroid, adrenal, and pituitary glands. Large doses can cause loss of appetite, nausea, cramps, vomiting and di alertness and excitement, unsteadiness, coma, seizures and brain damage. Onset may be as early as 20 minut a week. Central nervous system (CNS) depression may include general discomfort, symptoms of giddiness, headache slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in Methylenedioxybenzene synergists cause loss of appetite, vomiting, diarrhoea, inflamed bowel with bleeding, b central depression.	gram may be fatal or may produce serious yes and nose, and damage to the liver, arrhoea. Overdoses can cause increased es after dosing and death may be delayed for dizziness, nausea, anaesthetic effects, respiratory depression and may be fatal. leeding from the lung, wasting and possible
Skin Contact	Skin contact with the material may be harmful; systemic effects may result following absorption. The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction desc material is unlikely to produce an irritant dermatitis as described in EC Directives. Acute and repeated skin contact with piperonyls has been shown to be slightly irritating, but is not linked to long lethal. Other symptoms may include increased alertness and convulsions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with use of the material and ensure that any external damage is suitably protected.	ribed as non-allergic contact dermatitis. The -term skin damage. High doses may be harmful effects. Examine the skin prior to the
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye m characterised by tearing or conjunctival redness (as with windburn). Acute and repeated eye contact with piperonyls has been shown to be slightly irritating, but is not linked to long-	ay produce transient discomfort term eye damage.
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified nevertheless exposure by all routes should be minimised as a matter of course. Long-term exposure to methylenedioxyphenols (piperonyls or piperonylbutoxide) in animals causes reduced placting), weight increase to the liver and thyroid, and damage to the liver, thyroid and nerves. They are reported body immune system, internal regulation, reproduction and development. Animal testing suggests that they car abdominal swelling, bleeding from the nose, accumulation of fluid in the lung, laboured breathing and inco-ordinoted in animal studies but this is unproven in humans. There has been some concern that this material can cause cancer or mutations but there is not enough data to be the source of the source of the source of the source of the the source of the sourc	d by EC Directives using animal models); atelets (blood cells responsible for blood I not to cause genetic damage but affects in cause gut ulcers and bleeding from the gut, ination. A cancer-causing effect has been make an assessment.
Piperonyl Butoxide	TOXICITY dermal (rat) LD50: >7950 mg/kg ^[2] Inhalation (rat) LC50: >5.9 mg/4 h ^[1] Oral (rat) LD50: 5630 mg/kg ^[1]	IRRITATION Not Available
	L	

TOXICITY dermal (ra	TOXICITY			IRRITATION
	dermal (rat) LD50: >7950 mg/kg ^[2]			Not Available
piperonyi butoxide	Inhalation (rat) LC50: >5.9 mg/l4 h ^[1]			
	Oral (rat) LD50: 5630 mg/kg ^[1]			
Legend:	1. Value obtained from Europe ECHA Registered Substa data extracted from RTECS - Register of Toxic Effect of 0	nces - Acute toxicity 2.* Value obtained fi chemical Substances	rom manufacti	urer's SDS. Unless otherwise specified
PIPERONYL BUTOXIDE	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited Dermal (rabbit) LD50: >1880 mg/kg [Handbook of Toxico	in animal testing. logy] *Published value - probably not pee	r-reviewed AD	l: 0.03 mg/kg
Acute Toxicity	✓	Carcinogenicity	\odot	
Skin Irritation/Corrosion	\otimes	Reproductivity	\odot	
Serious Eye Damage/Irritation	\otimes	STOT - Single Exposure	\bigcirc	
Respiratory or Skin sensitisation	\otimes	STOT - Repeated Exposure	\bigcirc	
Mutagenicity	\otimes	Aspiration Hazard	\otimes	
		Legend: X - D	ata available i ata available t	but does not fill the criteria for classification to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.0024mg/L	4
Piperonyi Butoxide	EC50	48	Crustacea	0.1mg/L	4
	NOEC	48	Crustacea	0.01mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
piperonyl butoxide	LC50	96	Fish	0.0024mg/L	4
p.porony: Butomao	EC50	48	Crustacea	0.1mg/L	4
	NOEC	48	Crustacea	0.01mg/L	4
	1				

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

For piperonyls (as piperonyl butoxide - PBO):

Environmental Fate: PBO is relatively short-lived in the environment and has a low to moderate potential to contaminate groundwater. PBO is rapidly degraded when exposed to sunlight, with a degradation half-life of about one day in soil exposed to sunlight, and 14 days in soil without sunlight. The rate of degradation is also affected by how much oxygen is present (particularly in aquatic systems), moisture levels, and application methods. PBO's have been found to persist for at least two weeks indoors on toys and in dust in a kindergarten following cockroach treatment. Designated as a marine pollutant in the International Marine Dangerous Goods Code (IMDG).

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
piperonyl butoxide	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
piperonyl butoxide	HIGH (LogKOW = 4.75)

Mobility in soil

Ingredient	Mobility
piperonyl butoxide	LOW (KOC = 69.74)

Continued...

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

 Containers may still pri Return to supplier for Otherwise: Return to supplier for Otherwise: If container can not be puncture containers, to Where possible retain Legislation addressing was some areas, certain wastes A Hierarchy of Controls see Reduction Reuse Recycling Disposal (if all else fa This material may be recycr b D NOT allow wash) It may be necessary to In all cases disposal to Where in doubt contact Recycle wherever pos Consult State Land W Bury or incinerate resist 	esent a chemical hazard/ danger when empty. reuse/ recycling if possible. cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then prevent re-use, and bury at an authorised landfill. label warnings and SDS and observe all notices pertaining to the product. ste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In must be tracked. ams to be common - the user should investigate: ils) led if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. water from cleaning or process equipment to enter drains. o collect all wash water for treatment before disposal. > sewer may be subject to local laws and regulations and these should be considered first. t t the responsible authority. sible or consult manufacturer for recycling options. aste Authority for disposal. due at an approved site.
---	---

Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	
HAZCHEM	•3Z

Land transport (ADG)

UN number	3082	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains piperonyl butoxide)	
Transport hazard class(es)	Class 9 Subrisk Not Applicable	
Packing group	III	
Environmental hazard	Environmentally hazardous	
Special precautions for user	Special provisions 274 331 335 375 AU01 Limited quantity 5 L	

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in; (a) packagings;

(b) IBCs; or

(c) any other receptacle not exceeding 500 kg(L).

- Australian Special Provisions (SP AU01) - ADG Code 7th Ed.

Air transport (ICAO-IATA / DGR)

UN number	3082			
UN proper shipping name	Environmentally hazardo	us substance, liquid, n.o.s. * (contains p	peronyl butoxide)	
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	9 Not Applicable 9L		
Packing group	Ш			
Environmental hazard	Environmentally hazardous			
Special precautions for user	Special provisions A97 Cargo Only Packing Instructions 964		A97 A158 A197 964	

Cargo Only Maximum Qty / Pack	450 L
Passenger and Cargo Packing Instructions	964
Passenger and Cargo Maximum Qty / Pack	450 L
Passenger and Cargo Limited Quantity Packing Instructions	Y964
Passenger and Cargo Limited Maximum Qty / Pack	30 kg G

Sea transport (IMDG-Code / GGVSee)

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains piperonyl butoxide)
Transport hazard class(es)	IMDG Class 9 IMDG Subrisk Not Applicable
Packing group	III
Environmental hazard	Marine Pollutant
Special precautions for user	EMS NumberF-A , S-FSpecial provisions274 335 969Limited Quantities5 L

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

PIPERONYL BUTOXIDE(51-03-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS) Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix B (Part 3) Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule $\ensuremath{\mathbf{2}}$

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

National Inventory Status

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (piperonyl butoxide)
China - IECSC	N (piperonyl butoxide)
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	Y
Korea - KECI	Υ
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	03/09/2018
Initial Date	03/09/2018

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor NOAEL : No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.