

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

### Novachem Pty Ltd

Version No: 1.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Chemwatch Hazard Alert Code: 3

Initial Date: 29/11/2025

Revision Date: 30/11/2025

Print Date: 30/11/2025

S.GHS.AUS.EN

### SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### Product Identifier

<b>Product name</b>	METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)
<b>Synonyms</b>	Not Available
<b>Proper shipping name</b>	NONANES
<b>Other means of identification</b>	EO-5277

#### Relevant identified uses of the substance or mixture and uses advised against

<b>Relevant identified uses</b>	For professional use only
---------------------------------	---------------------------

#### Details of the manufacturer or importer of the safety data sheet

<b>Registered company name</b>	<b>Novachem Pty Ltd</b>	<b>Novachem Pty Ltd</b>
<b>Address</b>	25 Crissane Road, Heidelberg West Victoria 3081 Australia	25 Crissane Road, Heidelberg West Victoria 3081 Australia
<b>Telephone</b>	+61384151255	+61384151255
<b>Fax</b>	+61386250088	+61386250088
<b>Website</b>	<a href="http://www.novachem.com.au">www.novachem.com.au</a>	<a href="http://www.novachem.com.au">www.novachem.com.au</a>
<b>Email</b>	novachem@novachem.com.au	novachem@novachem.com.au

#### Emergency telephone number

<b>Association / Organisation</b>	<b>Victorian Poisons Information Centre</b>	<b>Victorian Poisons Information Centre</b>
<b>Emergency telephone number(s)</b>	13 11 26	13 11 26
<b>Other emergency telephone number(s)</b>	Not Available	Not Available

### SECTION 2 Hazards identification

#### Classification of the substance or mixture

<b>Poisons Schedule</b>	Not Applicable
<b>Classification</b> <sup>[1]</sup>	Flammable Liquids Category 3, Aspiration Hazard Category 1, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Acute Toxicity (Inhalation) Category 4, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Specific Target Organ Toxicity - Single Exposure (Narcotic Effects) Category 3, Specific Target Organ Toxicity - Repeated Exposure Category 2, Hazardous to the Aquatic Environment Long-Term Hazard Category 1
<b>Legend:</b>	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

#### Label elements

<b>Hazard pictogram(s)</b>	
<b>Signal word</b>	<b>Danger</b>

#### Hazard statement(s)

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

## Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P240	Ground and bond container and receiving equipment.

## Precautionary statement(s) Response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician/first aider.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Precautionary statement(s) Storage

P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

## Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

No further product hazard information.

## SECTION 3 Composition / information on ingredients

## Substances

See section below for composition of Mixtures

## Mixtures

CAS No	%[weight]	Name
111-84-2	99.99763	<u>n-nonane</u>
1163-19-5	0.00139	<u>decabromodiphenyl ether</u>
60348-60-9	0.00014	<u>pentabromodiphenyl ether</u>
41318-75-6	0.00014	<u>2,4,4'-tribromodiphenyl ether</u>
5436-43-1	0.00014	<u>tetrabromodiphenyl ether</u>
68631-49-2	0.00014	<u>hexabromodiphenyl ether</u>
488710-23-2	0.00014	<u>2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)</u>
207122-16-5	0.00014	<u>heptabromodiphenyl ether</u>
189084-64-8	0.00014	<u>2,2',4,4',6-Pentabromodiphenyl Ether</u>

**Legend:** 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L; \* EU IOELVs available

## SECTION 4 First aid measures

## Description of first aid measures

Eye Contact	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>▶ Wash out immediately with fresh running water.</li> <li>▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<p>If skin contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Immediately remove all contaminated clothing, including footwear.</li> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul style="list-style-type: none"> <li>▶ If fumes or combustion products are inhaled remove from contaminated area.</li> <li>▶ Lay patient down. Keep warm and rested.</li> <li>▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>▶ Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul style="list-style-type: none"> <li>▶ <b>If swallowed do NOT induce vomiting.</b></li> </ul>

Continued...

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

- ▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- ▶ Observe the patient carefully.
- ▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- ▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- ▶ Seek medical advice.
- ▶ Avoid giving milk or oils.
- ▶ Avoid giving alcohol.
- ▶ If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.

### Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to petroleum distillates or related hydrocarbons:

- ▶ Primary threat to life, from pure petroleum distillate ingestion and/or inhalation, is respiratory failure.
- ▶ Patients should be quickly evaluated for signs of respiratory distress (e.g. cyanosis, tachypnoea, intercostal retraction, obtundation) and given oxygen. Patients with inadequate tidal volumes or poor arterial blood gases (pO<sub>2</sub> 50 mm Hg) should be intubated.
- ▶ Arrhythmias complicate some hydrocarbon ingestion and/or inhalation and electrocardiographic evidence of myocardial injury has been reported; intravenous lines and cardiac monitors should be established in obviously symptomatic patients. The lungs excrete inhaled solvents, so that hyperventilation improves clearance.
- ▶ A chest x-ray should be taken immediately after stabilisation of breathing and circulation to document aspiration and detect the presence of pneumothorax.
- ▶ Epinephrine (adrenalin) is not recommended for treatment of bronchospasm because of potential myocardial sensitisation to catecholamines. Inhaled cardioselective bronchodilators (e.g. Alupent, Salbutamol) are the preferred agents, with aminophylline a second choice.
- ▶ Lavage is indicated in patients who require decontamination; ensure use of cuffed endotracheal tube in adult patients. [Ellenhorn and Barceloux: Medical Toxicology]

## SECTION 5 Firefighting measures

### Extinguishing media

### Special hazards arising from the substrate or mixture

- |                             |  |
|-----------------------------|--|
| <b>Fire Incompatibility</b> | ▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result |
|-----------------------------|--|

### Advice for firefighters

<b>Fire Fighting</b>	
<b>Fire/Explosion Hazard</b>	<ul style="list-style-type: none"> <li>▶ Liquid and vapour are flammable.</li> <li>▶ Moderate fire hazard when exposed to heat or flame.</li> <li>▶ Vapour forms an explosive mixture with air.</li> <li>▶ Moderate explosion hazard when exposed to heat or flame.</li> </ul> Combustion products include: carbon monoxide (CO) carbon dioxide (CO <sub>2</sub> ) other pyrolysis products typical of burning organic material.
<b>HAZCHEM</b>	3Y

## SECTION 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

<b>Minor Spills</b>	<ul style="list-style-type: none"> <li>▶ Remove all ignition sources.</li> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid breathing vapours and contact with skin and eyes.</li> <li>▶ Control personal contact with the substance, by using protective equipment.</li> </ul>
<b>Major Spills</b>	<ul style="list-style-type: none"> <li>▶ Clear area of personnel and move upwind.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water course.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 Handling and storage

### Precautions for safe handling

<b>Safe handling</b>	<p>The conductivity of this material may make it a static accumulator., A liquid is typically considered nonconductive if its conductivity is below 100 pS/m and is considered semi-conductive if its conductivity is below 10 000 pS/m., Whether a liquid is nonconductive or semi-conductive, the precautions are the same., A number of factors, for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity of a liquid.</p> <p>Even with proper grounding and bonding, this material can still accumulate an electrostatic charge. If sufficient charge is allowed to accumulate, electrostatic discharge and ignition of flammable air-vapour mixtures can occur.</p> <ul style="list-style-type: none"> <li>▶ Containers, even those that have been emptied, may contain explosive vapours.</li> <li>▶ Do NOT cut, drill, grind, weld or perform similar operations on or near containers.</li> </ul> <p>· Electrostatic discharge may be generated during pumping - this may result in fire.</p> <p>· Ensure electrical continuity by bonding and grounding (earthing) all equipment.</p> <p>· Restrict line velocity during pumping in order to avoid generation of electrostatic discharge (&lt;=1 m/sec until fill pipe submerged to twice its diameter, then &lt;= 7 m/sec).</p> <p>· Avoid splash filling.</p> <ul style="list-style-type: none"> <li>▶ Avoid all personal contact, including inhalation.</li> <li>▶ Wear protective clothing when risk of overexposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ Prevent concentration in hollows and sumps.</li> <li>▶ <b>DO NOT allow clothing wet with material to stay in contact with skin</b></li> </ul>
----------------------	--

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

<b>Other information</b>	<ul style="list-style-type: none"> <li>▶ Store in original containers in approved flammable liquid storage area.</li> <li>▶ Store away from incompatible materials in a cool, dry, well-ventilated area.</li> <li>▶ <b>DO NOT store in pits, depressions, basements or areas where vapours may be trapped.</b></li> <li>▶ No smoking, naked lights, heat or ignition sources.</li> </ul>
--------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Suitable container</b>	<ul style="list-style-type: none"> <li>▶ Packing as supplied by manufacturer.</li> <li>▶ Plastic containers may only be used if approved for flammable liquid.</li> <li>▶ Check that containers are clearly labelled and free from leaks.</li> <li>▶ For low viscosity materials (i) : Drums and jerry cans must be of the non-removable head type. (ii) : Where a can is to be used as an inner package, the can must have a screwed enclosure.</li> <li>▶ For materials with a viscosity of at least 2680 cSt. (23 deg. C)</li> <li>▶ For manufactured product having a viscosity of at least 250 cSt.</li> </ul>
<b>Storage incompatibility</b>	<p>Low molecular weight alkanes are a type of chemical compounds that can be found in gases or liquids. These alkanes:</p> <ul style="list-style-type: none"> <li>▶ Can cause a dangerous reaction with strong oxidizers, chlorine, chlorine dioxide, and dioxygenyl tetrafluoroborate when there is oxygen and heat present.</li> <li>▶ Are incompatible with halogens.</li> <li>▶ Can create static charges due to their low conductivity, leading to an accumulation of static charge.</li> <li>▶ Avoid reaction with oxidising agents</li> </ul>

**SECTION 8 Exposure controls / personal protection****Control parameters****Occupational Exposure Limits (OEL)****INGREDIENT DATA**

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	n-nonane	Nonane	200 ppm / 1050 mg/m3	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
n-nonane	Not Available	Not Available
decabromodiphenyl ether	Not Available	Not Available
pentabromodiphenyl ether	Not Available	Not Available
2,4,4'-tribromodiphenyl ether	Not Available	Not Available
tetrabromodiphenyl ether	Not Available	Not Available
hexabromodiphenyl ether	Not Available	Not Available
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	Not Available	Not Available
heptabromodiphenyl ether	Not Available	Not Available
2,2',4,4',6-Pentabromodiphenyl Ether	Not Available	Not Available

**Exposure controls**

<b>Appropriate engineering controls</b>	<p>Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:</p> <p>Process controls which involve changing the way a job activity or process is done to reduce the risk.</p> <p>Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically 'adds' and 'removes' air in the work environment.</p>
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye and face protection</b>	<ul style="list-style-type: none"> <li>▶ Safety glasses with side shields.</li> <li>▶ Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]</li> <li>▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.</li> </ul>
<b>Skin protection</b>	See Hand protection below
<b>Hands/feet protection</b>	<ul style="list-style-type: none"> <li>▶ Wear chemical protective gloves, e.g. PVC.</li> <li>▶ Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul> <p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</p> <p>Personal hygiene is a key element of effective hand care.</p> <ul style="list-style-type: none"> <li>▶ Neoprene gloves</li> </ul>
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	<ul style="list-style-type: none"> <li>▶ Overalls.</li> <li>▶ PVC Apron.</li> <li>▶ PVC protective suit may be required if exposure severe.</li> <li>▶ Eyewash unit.</li> <li>▶ Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity.</li> <li>▶ For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets).</li> <li>▶ Non sparking safety or conductive footwear should be considered. Conductive footwear describes a boot or shoe with a sole made from a conductive compound chemically bound to the bottom components, for permanent control to electrically ground the foot an shall dissipate static electricity from the body to reduce the possibility of ignition of volatile compounds.</li> </ul>

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

### Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the 'Exposure Standard' (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 5 x ES	A-AUS / Class 1 P2	-	A-PAPR-AUS / Class 1 P2
up to 25 x ES	Air-line*	A-2 P2	A-PAPR-2 P2
up to 50 x ES	-	A-3 P2	-
50+ x ES	-	Air-line**	-

\* - Continuous-flow; \*\* - Continuous-flow or positive pressure demand

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO<sub>2</sub>), G = Agricultural chemicals, K = Ammonia(NH<sub>3</sub>), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- ▶ Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- ▶ The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- ▶ Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

## SECTION 9 Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	0.718
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	205
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	-53	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	151	Molecular weight (g/mol)	128.3
Flash point (°C)	31	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Flammable.	Oxidising properties	Not Available
Upper Explosive Limit (%)	2.9	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	0.87	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	0.124	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available

## SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	<ul style="list-style-type: none"> <li>▶ Unstable in the presence of incompatible materials.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## SECTION 11 Toxicological information

### Information on toxicological effects

a) Acute Toxicity	There is sufficient evidence to classify this material as acutely toxic.
b) Skin Irritation/Corrosion	There is sufficient evidence to classify this material as skin corrosive or irritating.
c) Serious Eye Damage/Irritation	There is sufficient evidence to classify this material as eye damaging or irritating

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

<b>d) Respiratory or Skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>e) Mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>f) Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>g) Reproductivity</b>	Based on available data, the classification criteria are not met.
<b>h) STOT - Single Exposure</b>	There is sufficient evidence to classify this material as toxic to specific organs through single exposure
<b>i) STOT - Repeated Exposure</b>	There is sufficient evidence to classify this material as toxic to specific organs through repeated exposure
<b>j) Aspiration Hazard</b>	There is sufficient evidence to classify this material as an aspiration hazard
<b>Inhaled</b>	<p>Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo.</p> <p>Inhalation hazard is increased at higher temperatures.</p> <p>Inhalation of high concentrations of gas/vapour causes lung irritation with coughing and nausea, central nervous depression with headache and dizziness, slowing of reflexes, fatigue and inco-ordination.</p> <p>Central nervous system (CNS) depression may include general discomfort, symptoms of giddiness, headache, dizziness, nausea, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in respiratory depression and may be fatal.</p> <p>Concentrated nonane vapours may cause irritation of the nose and throat, headache, drowsiness, dizziness, confusion, nausea, tremors, incoordination and difficulty in breathing. Very high concentrations may cause unconsciousness and death. The odour of nitrous oxides is not easily detected.</p> <p>Nerve damage can be caused by some non-ring hydrocarbons. Symptoms are temporary, and include weakness, tremors, increased saliva, some convulsions, excessive tears with discolouration and inco-ordination lasting up to 24 hours.</p>
<b>Ingestion</b>	<p>Accidental ingestion of the material may be damaging to the health of the individual.</p> <p>Isoparaffinic hydrocarbons cause temporary lethargy, weakness, inco-ordination and diarrhoea.</p> <p>Considered an unlikely route of entry in commercial/industrial environments. The liquid may produce gastrointestinal discomfort and may be harmful if swallowed.</p> <p>Central nervous system (CNS) depression may include general discomfort, symptoms of giddiness, headache, dizziness, nausea, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in respiratory depression and may be fatal.</p>
<b>Skin Contact</b>	<p>This material can cause inflammation of the skin on contact in some persons.</p> <p>The material may accentuate any pre-existing dermatitis condition</p> <p>Skin exposure to isoparaffins may produce slight to moderate irritation in animals and humans. Rare sensitisation reactions in humans have occurred.</p> <p>Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p> <p>The liquid may be able to be mixed with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.</p>
<b>Eye</b>	<p>This material causes serious eye irritation.</p> <p>Instillation of isoparaffins into rabbit eyes produces only slight irritation.</p>
<b>Chronic</b>	<p>Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems.</p> <p>Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.</p> <p>Implantation studies in rats show that paraffin oils may cause tumours. As a general rule, the highly refined paraffins are believed to contain less suspect polyaromatic hydrocarbons than less refined grades or waxes derived from naphthenic base-stocks.</p>

<b>METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
<b>n-nonane</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
	Inhalation (Rat) LC50: 3200 ppm/4h <sup>[2]</sup>	Skin (Mammal - pig): 250uL/24H - Mild
	Oral (Rat) LD50: >5000 mg/kg <sup>[1]</sup>	Skin (Rodent - rat): 300uL/4D - Moderate
		Skin: adverse effect observed (irritating) <sup>[1]</sup>
<b>decabromodiphenyl ether</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>	Eye (Rodent - rabbit): 100uL - Severe
	Inhalation (Rat) LC50: >12.05 mg/14h <sup>[2]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>
	Oral (Rat) LD50: >2000 mg/kg <sup>[2]</sup>	Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
<b>pentabromodiphenyl ether</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (rabbit) LD50: 2000 mg/kg/24h <sup>[2]</sup>	Skin (Rodent - rabbit): 100uL/24H - Moderate
	Inhalation (Rat) LC50: 50 mg/L4h <sup>[2]</sup>	Skin (Rodent - rabbit): 500uL/24H - Mild
	Oral (Rat) LD50: >2000 mg/kg <sup>[2]</sup>	
<b>2,4,4'-tribromodiphenyl ether</b>	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

tetrabromodiphenyl ether	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
hexabromodiphenyl ether	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
heptabromodiphenyl ether	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
2,2',4,4',6-Pentabromodiphenyl Ether	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available

**Legend:** 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

<b>DECABROMODIPHENYL ETHER</b>	<p>Studies submitted on the chemical indicated that the assessed chemical is of low acute toxicity, is not irritating to skin, is slightly irritating to eyes, not a skin sensitiser and is not mutagenic or genotoxic. Some repeated dose toxicity studies (including one provided by the applicant) indicated that the chemical has no adverse health effects up to 1000 mg/kg bw/day. heart and abdominal aorta, adverse effects in testis and potential endocrine activities in rats/mice have been reported in recent published papers at varying dosages from 5 to 500 mg/kg bw/day. Reductions in thymus weight after repeated exposure are consistent with effects caused by other brominated chemicals and 2020). Morphometric changes in brains of male pups from 100 mg/kg bw/day were reported in a REACH dossier in a developmental neurotoxicity study for the assessed chemical. Therefore adverse effects after repeated exposure to the assessed chemical cannot be ruled out. In some studies where decaBDE was also tested, the assessed chemical was reported to be causing similar but less severe effects than with decaBDE. Based on the limited information available, it is uncertain if the assessed chemical may photodegrade to lower brominated congeners (breakdown products), as occurs with decaBDE (. There could be higher bioavailability and potentially adverse toxicological effects associated with the lower brominated (nonaBDE) impurities of the notified chemical. These were detected at low levels (&lt; 0.5%) in the assessed chemical. 551phenth</p>
<b>METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%) &amp; N-NONANE &amp; DECABROMODIPHENYL ETHER</b>	<p>Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.</p>
<b>METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%) &amp; N-NONANE</b>	<p>Animal studies indicate that normal, branched and cyclic paraffins are absorbed from the gastrointestinal tract and that the absorption of n-paraffins is inversely proportional to the carbon chain length, with little absorption above C30. With respect to the carbon chain lengths likely to be present in mineral oil, n-paraffins may be absorbed to a greater extent than iso- or cyclo-paraffins. The major classes of hydrocarbons are well absorbed into the gastrointestinal tract in various species. In many cases, the hydrophobic hydrocarbons are ingested in association with fats in the diet. Some hydrocarbons may appear unchanged as in the lipoprotein particles in the gut lymph, but most hydrocarbons partly separate from fats and undergo metabolism in the gut cell. Animal testing showed exposure to high concentrations (over 3500 parts per million) of C9 to C13 alkanes in air caused inco-ordination, seizures and spasms. Cerebellar damage was found on autopsy in some animals. It appears that exposure may possibly damage the central nervous system.</p>
<b>DECABROMODIPHENYL ETHER &amp; PENTABROMODIPHENYL ETHER &amp; 2,4,4'-TRIBROMODIPHENYL ETHER &amp; TETRABROMODIPHENYL ETHER &amp; HEXABROMODIPHENYL ETHER &amp; HEPTABROMODIPHENYL ETHER</b>	<p>No significant acute toxicological data identified in literature search. From available experimental data, the potential for polybrominated fire retardants (PBFRs) to cause cancer, hormonal dysfunction and neuro-developmental toxicity are of concern. Their structural similarities to the polychlorinated diphenyl ethers, nitrofen and polychlorinated biphenyls add to concerns for their health effects. They cause mild eye, airway and skin irritation, damage to the liver, thyroid and sex organs. They can be harmful following prolonged contact with the skin or if swallowed.</p>
<b>DECABROMODIPHENYL ETHER &amp; PENTABROMODIPHENYL ETHER</b>	<p>The substance is classified by IARC as Group 3: <b>NOT</b> classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.</p>

Acute Toxicity	✓	Carcinogenicity	✗
Skin Irritation/Corrosion	✓	Reproductivity	✗
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	✓
Respiratory or Skin sensitisation	✗	STOT - Repeated Exposure	✓
Mutagenicity	✗	Aspiration Hazard	✓

**Legend:** ✗ – Data either not available or does not fill the criteria for classification  
✓ – Data available to make classification

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

## Toxicity

METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
n-nonane	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	0.4mg/l	2
	NOEC(ECx)	504h	Crustacea	0.17mg/l	2
	LC50	96h	Fish	0.11mg/l	2
decabromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	96h	Algae or other aquatic plants	>1mg/l	1
	ERC50	72h	Algae or other aquatic plants	>1mg/l	1
	BCF	1008h	Fish	<5	7
	EC50	72h	Algae or other aquatic plants	>1mg/l	1
	NOEC(ECx)	504h	Fish	<0.001mg/L	4
pentabromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	EC10(ECx)	5h	Crustacea	<0.001mg/L	4
	EC10(ECx)	5h	Crustacea	<=0.002mg/L	4
	LC50	96h	Fish	0.621-0.678mg/L	4
2,4,4'-tribromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	EC10(ECx)	5h	Crustacea	0.003-0.008mg/L	4
tetrabromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	0.064-0.077mg/L	4
	NOEC(ECx)	504h	Fish	<0.001mg/L	4
	LC50	96h	Fish	>0.1mg/l	4
	NOEC(ECx)	112h	Fish	9.716mg/L	4
hexabromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	BCF	1344h	Fish	216-1310	7
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
heptabromodiphenyl ether	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
2,2',4,4',6-Pentabromodiphenyl Ether	Endpoint	Test Duration (hr)	Species	Value	Source
	EC10(ECx)	5h	Crustacea	<0.001mg/L	4
<b>Legend:</b>	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. US EPA, Ecotox database - Aquatic Toxicity Data 4. ECETOC Aquatic Hazard Assessment Data 5. NITE (Japan) - Bioconcentration Data 6. METI (Japan) - Bioconcentration Data 7. Vendor Data				

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

When spilled this product may act as a typical oil, causing a film, sheen, emulsion or sludge at or beneath the surface of the body of water. The oil film on water surface may physically affect the aquatic organisms, due to the interruption of the oxygen transfer between the air and the water

Oils of any kind can cause:

- ▶ drowning of water-fowl due to lack of buoyancy, loss of insulating capacity of feathers, starvation and vulnerability to predators due to lack of mobility
- ▶ lethal effects on fish by coating gill surfaces, preventing respiration
- ▶ asphyxiation of benthic life forms when floating masses become engaged with surface debris and settle on the bottom and
- ▶ adverse aesthetic effects of fouled shoreline and beaches

In case of accidental releases on the soil, a fine film is formed on the soil, which prevents the plant respiration process and the soil particle saturation. It may cause deep water infestation.

When released in the environment, alkanes don't undergo rapid biodegradation, because they have no functional groups (like hydroxyl or carbonyl) that are needed by most organisms in order to metabolize the compound.

However, some bacteria can metabolise some alkanes (especially those linear and short), by oxidizing the terminal carbon atom. The product is an alcohol, that could be next oxidised to an aldehyde, and finally to a carboxylic acid. The resulting fatty acid could be metabolised through the fatty acid degradation pathway.

Environmental Fate:

Terrestrial Fate: If released on land, n-nonane will be immobile and will volatilize from moist and dry soil surfaces based upon its physico-chemical properties. However, volatilization will be attenuated by its adsorption to soil. In the event that volatilization is not possible then biodegradation of the compound will take place.

Continued...

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

Aquatic Fate: If released to water, n-nonane is expected to volatilize from water surfaces and will also be adsorbed to suspended solids and sediment.

**DO NOT discharge into sewer or waterways.**

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
n-nonane	LOW	LOW
decabromodiphenyl ether	HIGH (Half-life = 730 days)	MEDIUM (Half-life = 153.58 days)
pentabromodiphenyl ether	HIGH	HIGH
tetrabromodiphenyl ether	HIGH	HIGH
hexabromodiphenyl ether	HIGH	HIGH
heptabromodiphenyl ether	HIGH	HIGH

## Bioaccumulative potential

Ingredient	Bioaccumulation
n-nonane	HIGH (LogKOW = 5.65)
decabromodiphenyl ether	LOW (BCF = 5)
pentabromodiphenyl ether	LOW (LogKOW = 7.66)
tetrabromodiphenyl ether	LOW (LogKOW = 7.61)
hexabromodiphenyl ether	MEDIUM (BCF = 1490)
heptabromodiphenyl ether	LOW (LogKOW = 9.44)

## Mobility in soil

Ingredient	Mobility
n-nonane	LOW (Log KOC = 934.6)
decabromodiphenyl ether	LOW (Log KOC = 408500)
pentabromodiphenyl ether	LOW (Log KOC = 31730)
tetrabromodiphenyl ether	LOW (Log KOC = 18420)
hexabromodiphenyl ether	LOW (Log KOC = 51390)
heptabromodiphenyl ether	LOW (Log KOC = 86740)

## SECTION 13 Disposal considerations

## Waste treatment methods

<b>Product / Packaging disposal</b>	<p>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.</p> <p>A Hierarchy of Controls seems to be common - the user should investigate:</p> <ul style="list-style-type: none"> <li>▶ Reduction</li> <li>▶ Reuse</li> <li>▶ Recycling</li> <li>▶ Disposal (if all else fails)</li> </ul> <p>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.</p> <ul style="list-style-type: none"> <li>▶ <b>DO NOT allow wash water from cleaning or process equipment to enter drains.</b></li> <li>▶ It may be necessary to collect all wash water for treatment before disposal.</li> <li>▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> <li>▶ Where in doubt contact the responsible authority.</li> <li>▶ Recycle wherever possible.</li> <li>▶ Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.</li> <li>▶ Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).</li> <li>▶ Decontaminate empty containers.</li> </ul>
-------------------------------------	--

## SECTION 14 Transport information

## Labels Required

	
Marine Pollutant	
HAZCHEM	3Y

## Land transport (ADG)

14.1. UN number or ID number	1920
14.2. UN proper shipping name	NONANES

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

14.3. Transport hazard class(es)	Class	3
	Subsidiary Hazard	Not Applicable
14.4. Packing group	III	
14.5. Environmental hazard	Environmentally hazardous	
14.6. Special precautions for user	Special provisions	Not Applicable
	Limited quantity	5 L

## Air transport (ICAO-IATA / DGR)

14.1. UN number	1920	
14.2. UN proper shipping name	Nonanes	
14.3. Transport hazard class(es)	ICAO/IATA Class	3
	ICAO / IATA Subsidiary Hazard	Not Applicable
	ERG Code	3L
14.4. Packing group	III	
14.5. Environmental hazard	Environmentally hazardous	
14.6. Special precautions for user	Special provisions	Not Applicable
	Cargo Only Packing Instructions	366
	Cargo Only Maximum Qty / Pack	220 L
	Passenger and Cargo Packing Instructions	355
	Passenger and Cargo Maximum Qty / Pack	60 L
	Passenger and Cargo Limited Quantity Packing Instructions	Y344
	Passenger and Cargo Limited Maximum Qty / Pack	10 L

## Sea transport (IMDG-Code / GGVSee)

14.1. UN number	1920	
14.2. UN proper shipping name	NONANES	
14.3. Transport hazard class(es)	IMDG Class	3
	IMDG Subsidiary Hazard	P
14.4. Packing group	III	
14.5. Environmental hazard	Marine Pollutant	
14.6. Special precautions for user	EMS Number	F-E, S-E
	Special provisions	Not Applicable
	Limited Quantities	5 L

## 14.7. Maritime transport in bulk according to IMO instruments

## 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
n-nonane	Not Applicable
decabromodiphenyl ether	Not Applicable
pentabromodiphenyl ether	Not Applicable
2,4,4'-tribromodiphenyl ether	Not Applicable
tetrabromodiphenyl ether	Not Applicable
hexabromodiphenyl ether	Not Applicable
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	Not Applicable
heptabromodiphenyl ether	Not Applicable
2,2',4,4',6-Pentabromodiphenyl Ether	Not Applicable

## 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
n-nonane	Not Applicable
decabromodiphenyl ether	Not Applicable
pentabromodiphenyl ether	Not Applicable
2,4,4'-tribromodiphenyl ether	Not Applicable

Continued...

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

Product name	Ship Type
tetrabromodiphenyl ether	Not Applicable
hexabromodiphenyl ether	Not Applicable
2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%)	Not Applicable
heptabromodiphenyl ether	Not Applicable
2,2',4,4',6-Pentabromodiphenyl Ether	Not Applicable

## SECTION 15 Regulatory information

## Safety, health and environmental regulations / legislation specific for the substance or mixture

**n-nonane is found on the following regulatory lists**

Australian Inventory of Industrial Chemicals (AIIC)

**decabromodiphenyl ether is found on the following regulatory lists**

Australia Industrial Chemicals Environmental Management (IChEMS Register) Instrument 2022 - Schedule 6 - Relevant industrial chemicals that are likely to cause serious or irreversible harm to the environment with essential uses

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Stockholm Convention on Persistent Organic Pollutants - Annex A - Elimination

United Nations List of Prior Informed Consent Chemicals

**pentabromodiphenyl ether is found on the following regulatory lists**

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Chemical Footprint Project - Chemicals of High Concern List

Stockholm Convention on Persistent Organic Pollutants - Annex A - Elimination

United Nations List of Prior Informed Consent Chemicals

**2,4,4'-tribromodiphenyl ether is found on the following regulatory lists**

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

**tetrabromodiphenyl ether is found on the following regulatory lists**

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

Stockholm Convention on Persistent Organic Pollutants - Annex A - Elimination

United Nations List of Prior Informed Consent Chemicals

**hexabromodiphenyl ether is found on the following regulatory lists**

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Stockholm Convention on Persistent Organic Pollutants - Annex A - Elimination

United Nations List of Prior Informed Consent Chemicals

**2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%) is found on the following regulatory lists**

Not Applicable

**heptabromodiphenyl ether is found on the following regulatory lists**

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Stockholm Convention on Persistent Organic Pollutants - Annex A - Elimination

United Nations List of Prior Informed Consent Chemicals

**2,2',4,4',6-Pentabromodiphenyl Ether is found on the following regulatory lists**

Chemical Footprint Project - Chemicals of High Concern List

## Additional Regulatory Information

Not Applicable

## National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	No (pentabromodiphenyl ether; 2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Canada - DSL	No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Canada - NDSL	No (n-nonane; decabromodiphenyl ether; pentabromodiphenyl ether; 2,4,4'-tribromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
China - IECSC	No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Europe - EINEC / ELINCS / NLP	No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Japan - ENCS	No (2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Korea - KECI	No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)

Continued...

## METHOD 1614 LABELED SURROGATE STOCK SOLUTION (13C12, 99%)

National Inventory	Status
New Zealand - NZIoC	No (decabromodiphenyl ether; pentabromodiphenyl ether; 2,4,4'-tribromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
Philippines - PICCS	No (2,4,4'-tribromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
USA - TSCA	TSCA Inventory 'Active' substance(s) (n-nonane; decabromodiphenyl ether; pentabromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; heptabromodiphenyl ether); No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); 2,2',4,4',6-Pentabromodiphenyl Ether)
Taiwan - TCSI	No (2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%))
Mexico - INSQ	No (pentabromodiphenyl ether; 2,4,4'-tribromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
Vietnam - NCI	No (2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%))
Russia - FBEPH	No (2,4,4'-tribromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
UAE - Control List (Banned/Restricted Substances)	No (n-nonane; decabromodiphenyl ether; pentabromodiphenyl ether; 2,4,4'-tribromodiphenyl ether; tetrabromodiphenyl ether; hexabromodiphenyl ether; 2,2',4,4',5,6'-HEXABDE (BDE-154) (13C12, 99%); heptabromodiphenyl ether; 2,2',4,4',6-Pentabromodiphenyl Ether)
<b>Legend:</b>	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

## SECTION 16 Other information

<b>Revision Date</b>	30/11/2025
<b>Initial Date</b>	29/11/2025

## Other information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## Definitions and abbreviations

- ▶ PC - TWA: Permissible Concentration-Time Weighted Average
- ▶ PC - STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ▶ TEEL: Temporary Emergency Exposure Limit,
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ MARPOL: International Convention for the Prevention of Pollution from Ships
- ▶ IMSBC: International Maritime Solid Bulk Cargoes Code
- ▶ IGC: International Gas Carrier Code
- ▶ IBC: International Bulk Chemical Code
  
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European Inventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- ▶ NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.