

Organic Acid Salt Standard - Acetate Novachem Pty Ltd

Version No: 1.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Chemwatch Hazard Alert Code: 0

Issue Date: 10/07/2023 Print Date: 10/07/2023 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Organic Acid Salt Standard - Acetate	
Synonyms	Not Available	
Other means of identification	IC-ACET-10X-1	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Laboratory Chemical Reference Material

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Novachem Pty Ltd	Novachem Pty Ltd	
Address	25 Crissane Road, Heidelberg West Victoria 3081 Australia	25 Crissane Road, Heidelberg West Victoria 3081 Australia	
Telephone	+61384151255	+61384151255	
Fax	+61386250088	+61386250088	
Website	www.novachem.com.au	www.novachem.com.au	
Email novachem@novachem.com.au		novachem@novachem.com.au	

Emergency telephone number

Association / Organisation	Victorian Poisons Information Centre	Victorian Poisons Information Centre	
Emergency telephone numbers	13 11 26	13 11 26	
Other emergency telephone numbers	Not Available	Not Available	

SECTION 2 Hazards identification

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification [1]	Not Applicable

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 Composition / information on ingredients

Version No: **1.1** Page **2** of **7** Issue Date: **10/07/2023**

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight] Name		
127-09-3	0.139	sodium acetate. anhydrous	
7732-18-5	99.861	1 <u>water</u>	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available		

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
Advice for firefighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 	
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. 	
HAZCHEM	Not Applicable	

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.	
Major Spills	Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required.	

Version No: 1.1 Page 3 of 7 Issue Date: 10/07/2023

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling

- ► Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.

Other information

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid contamination of water, foodstuffs, feed or seed.

None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

mgreatent	ILLE-I	1222		ILLLY
sodium acetate, anhydrous	11 mg/m3	120 mg/m3		700 mg/m3
Ingredient	Original IDLH		Revised IDLH	
sodium acetate, anhydrous	Not Available		Not Available	
water	Not Available		Not Available	

Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit		
sodium acetate, anhydrous	E ≤ 0.01 mg/m³			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- ▶ Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

No special equipment needed when handling small quantities. OTHERWISE:

Other protection

- Overalls.
- Barrier cream.
- ► Eyewash unit.

Version No: **1.1** Page **4** of **7** Issue Date: **10/07/2023**

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Organic Acid Salt Standard - Acetate

Material	СРІ
BUTYL	A
NEOPRENE	A
VITON	A
NATURAL RUBBER	С
PVA	С

^{*} CPI - Chemwatch Performance Index

A: Best Selection

- B: Satisfactory; may degrade after 4 hours continuous immersion
- C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties			
Appearance	Clear liquid		
Physical state	Liquid	Relative density (Water = 1)	1
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	2.33	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Version No: **1.1** Page **5** of **7** Issue Date: **10/07/2023**

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product			
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Еуе		Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.			
	TOVICITY	IDDITATION		
Organic Acid Salt Standard - Acetate	TOXICITY Not Available	IRRITATION Not Available		
	TOXICITY	IRRITATION		
sodium acetate, anhydrous	Dermal (rabbit) LD50: >20000 mg/kg ^[1]	Eye (rabbit): 10	10 mg - mild	
,	Inhalation(Rat) LC50: >5.6 mg/l4h ^[1]	Skin (rabbit): 550	abbit): 550 mg/24h - mild	
	Oral (Rat) LD50: 3530 mg/kg ^[2]			
	Oral (Rat) LD50: 3530 mg/kg ^[2]			
	Oral (Rat) LD50: 3530 mg/kg ^[2] TOXICITY	IRRITATION		
water		IRRITATION Not Available		
water Legend:	тохісіту	Not Available	ined from manufacturer's SDS. Unless otherwise	
	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Sub	Not Available stances - Acute toxicity 2. Value obtatic Effect of chemical Substances en years after exposure to the material object of the material object. The material object of the irritant. Other bronchial hyperreactivity on method dontact causing inflammation. Rep	al ends. This may be due to a non-allergic condition be high levels of highly irritating compound. Main ici individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce	
Legend: SODIUM ACETATE,	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxical Asthma-like symptoms may continue for months or evice known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of pasthma-like symptoms within minutes to hours of a doairflow pattern on lung function tests, moderate to sev lymphocytic inflammation, without eosinophilia. The material may be irritating to the eye, with prolonge conjunctivitis. The material may cause skin irritation after prolonged	Not Available stances - Acute toxicity 2. Value obtatic Effect of chemical Substances en years after exposure to the materia obs) which can occur after exposure to revious airways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on method contact causing inflammation. Repor repeated exposure and may produce.	al ends. This may be due to a non-allergic condition be high levels of highly irritating compound. Main ici individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce	
Legend: SODIUM ACETATE, ANHYDROUS	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxical Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of pasthma-like symptoms within minutes to hours of a doairflow pattern on lung function tests, moderate to sevelymphocytic inflammation, without eosinophilia. The material may be irritating to the eye, with prolonge conjunctivitis. The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin.	Not Available stances - Acute toxicity 2. Value obtatic Effect of chemical Substances en years after exposure to the materia obs) which can occur after exposure to revious airways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on method contact causing inflammation. Repor repeated exposure and may produce.	al ends. This may be due to a non-allergic condition be high levels of highly irritating compound. Main ici individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce	
Legend: SODIUM ACETATE, ANHYDROUS WATER	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxical Subspecified data extracted Subspecified Register of Toxical Subspecified data extracted Subspecified Subspecified data extracted Subspecified Register of Toxical Subspecified Regi	Not Available stances - Acute toxicity 2. Value obtatic Effect of chemical Substances en years after exposure to the material object of the material object. The material object of the invitation of the invita	al ends. This may be due to a non-allergic condition of high levels of highly irritating compound. Main it individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce ce on contact skin redness, swelling, the production of	
Legend: SODIUM ACETATE, ANHYDROUS WATER Acute Toxicity	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxical Asthma-like symptoms may continue for months or eventhering to diagnosing RADS include the absence of pasthma-like symptoms within minutes to hours of a doairflow pattern on lung function tests, moderate to sevelymphocytic inflammation, without eosinophilia. The material may be irritating to the eye, with prolonged conjunctivitis. The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. No significant acute toxicological data identified in liter	Not Available stances - Acute toxicity 2. Value obtatic Effect of chemical Substances en years after exposure to the materia DS) which can occur after exposure to revious airways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on method contact causing inflammation. Repor repeated exposure and may product the product of	al ends. This may be due to a non-allergic condition be high levels of highly irritating compound. Main ici individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce to e on contact skin redness, swelling, the production of	
SODIUM ACETATE, ANHYDROUS WATER Acute Toxicity Skin Irritation/Corrosion	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Toxical Asthma-like symptoms may continue for months or evidence known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of pasthma-like symptoms within minutes to hours of a doairflow pattern on lung function tests, moderate to sev lymphocytic inflammation, without eosinophilia. The material may be irritating to the eye, with prolonge conjunctivitis. The material may cause skin irritation after prolonged vesicles, scaling and thickening of the skin. No significant acute toxicological data identified in liter	Not Available stances - Acute toxicity 2. Value obtained Effect of chemical Substances en years after exposure to the material Solution of the properties of the material Solution of the properties of the material Solution of the properties of the material Solution of t	al ends. This may be due to a non-allergic condition of high levels of highly irritating compound. Main sic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal eated or prolonged exposure to irritants may produce the one contact skin redness, swelling, the production of	

Legend:

X - Data either not available or does not fill the criteria for classification

Data available to make classification

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
Organic Acid Salt Standard - Acetate	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	>417.92mg/l	2
sodium acetate, anhydrous	EC50	48h	Crustacea	>1000mg/l	1
	LC50	96h	Fish	>=100mg/l	1
	EC50(ECx)	48h	Crustacea	>1000mg/l	1
	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA,

Version No: **1.1** Page **6** of **7** Issue Date: **10/07/2023**

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium acetate, anhydrous	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
sodium acetate, anhydrous	HIGH (BCF = 29100)

Mobility in soil

Ingredient	Mobility
sodium acetate, anhydrous	HIGH (KOC = 1)

SECTION 13 Disposal considerations

Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ► Reuse
- **.** D. .
- RecyclingDisposal (if all else fails)

Product / Packaging disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium acetate, anhydrous	Not Available
water	Not Available

Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sodium acetate, anhydrous	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium acetate, anhydrous is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Version No: 1.1 Page 7 of 7 Issue Date: 10/07/2023

Organic Acid Salt Standard - Acetate

Print Date: 10/07/2023

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Yes
Canada - DSL	Yes
Canada - NDSL	No (sodium acetate, anhydrous; water)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	10/07/2023
Initial Date	10/07/2023

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average

PC - STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.