

# Indium ICP-MS Standard Novachem Pty Ltd

Version No: 1.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

# Chemwatch Hazard Alert Code: 4

Issue Date: **07/05/2023** Print Date: **07/05/2023** S.GHS.AUS.EN

# SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier            |  |  |
|-------------------------------|--|--|
| Product name                  | Indium ICP-MS Standard   |  |
| Synonyms                      | Not Available  |  |
| Proper shipping name          | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid solution) |  |
| Other means of identification | ICP-MS-25N-0.1X-1  |  |

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Laboratory Chemical Reference Material

# Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Novachem Pty Ltd  | Novachem Pty Ltd  |
|-------------------------|---|---|
| Address                 | 25 Crissane Road, Heidelberg West Victoria 3081 Australia | 25 Crissane Road, Heidelberg West Victoria 3081 Australia |
| Telephone               | +61384151255  | +61384151255  |
| Fax                     | +61386250088  | +61386250088  |
| Website                 | www.novachem.com.au                                       | www.novachem.com.au                                       |
| Email                   | novachem@novachem.com.au                                  | novachem@novachem.com.au                                  |

# Emergency telephone number

| Association / Organisation        | Victorian Poisons Information Centre | Victorian Poisons Information Centre |
|-----------------------------------|--------------------------------------|--------------------------------------|
| Emergency telephone numbers       | 13 11 26                             | 13 11 26                             |
| Other emergency telephone numbers | Not Available                        | Not Available                        |

# **SECTION 2 Hazards identification**

# Classification of the substance or mixture

| Poisons Schedule              | Not Applicable  |
|-------------------------------|---|
| Classification <sup>[1]</sup> | Corrosive to Metals Category 1, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 3, Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 1A |
| Legend:                       | 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI   |

# Label elements

Hazard pictogram(s)





Signal word Da

Danger

# Hazard statement(s)

| H290 | May be corrosive to metals.              |
|------|--|
| H331 | Toxic if inhaled.                        |
| H302 | Harmful if swallowed.                    |
| H314 | Causes severe skin burns and eye damage. |

Version No: 1.1 Page 2 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

# **Indium ICP-MS Standard**

| P260 | Do not breathe mist/vapours/spray.   |
|------|--|
| P264 | Wash all exposed external body areas thoroughly after handling.                  |
| P271 | Use only outdoors or in a well-ventilated area.                                  |
| P280 | Wear protective gloves, protective clothing, eye protection and face protection. |

# Precautionary statement(s) Response

| P301+P330+P331  | 01+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.   |  |
|---|---|--|
| P303+P361+P353  | P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |  |
| P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |   |  |
| P310 Immediately call a POISON CENTER/doctor/physician/first aider.   |   |  |

# Precautionary statement(s) Storage

| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
|-----------|--|
| P405      | Store locked up.   |

# Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

| CAS No    | %[weight]   | Name        |
|-----------|---|-------------|
| 7440-74-6 | 0.1   | indium      |
| 7697-37-2 | 2   | nitric acid |
| 7732-18-5 | 97.9  | water       |
| Legend:   | Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available |             |

# **SECTION 4 First aid measures**

| Description of | first aid | measures |
|----------------|-----------|----------|
|----------------|-----------|----------|

| Description of first aid measures |  |  |
|-----------------------------------|--|--|
| Eye Contact                       | If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.   |  |
| Skin Contact                      | If skin or hair contact occurs:  If skin or hair contact occurs:  Immediately flush body and clothes with large amounts of water, using safety shower if available.  Quickly remove all contaminated clothing, including footwear.  Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.  Transport to hospital, or doctor.  |  |
| Inhalation                        | <ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> <li>Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema.</li> <li>Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).</li> <li>As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested.</li> <li>Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered.</li> <li>This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)</li> </ul> |  |
|                                   | <ul> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>If swallowed do NOT induce vomiting.</li> </ul>   |  |

If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. • Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Observe the patient carefully.

▶ Transport to hospital or doctor without delay.

Ingestion

Version No: 1.1 Page 3 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

#### Indium ICP-MS Standard

Treat symptomatically.

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

#### SKIN:

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

#### EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- ▶ Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

# **SECTION 5 Firefighting measures**

#### **Extinguishing media**

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

| Fire Incompatibility    | None known.   |  |
|-------------------------|---|--|
| Advice for firefighters |   |  |
| Fire Fighting           | <ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul> |  |
| Fire/Explosion Hazard   | <ul> <li>Non combustible.</li> <li>Not considered to be a significant fire risk.</li> <li>Acids may react with metals to produce hydrogen, a highly flammable and explosive gas.</li> <li>Heating may cause expansion or decomposition leading to violent rupture of containers.</li> </ul>   |  |
| HAZCHEM                 | 2X  |  |

#### **SECTION 6 Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

| Minor Spills | <ul> <li>Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.</li> <li>Check regularly for spills and leaks.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb spill with sand, earth, inert material or vermiculite.</li> </ul> |
|--------------|--|
| Major Spills | <ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> </ul>   |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 Handling and storage**

#### Precautions for safe handling

#### Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- ▶ WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material.

Version No: 1.1 Page 4 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

#### Indium ICP-MS Standard

Other information

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

# Conditions for safe storage, including any incompatibilities

- ► DO NOT use aluminium or galvanised containers
- Check regularly for spills and leaks
- Lined metal can, lined metal pail/ can.
- Plastic pail.
- Polyliner drum.
- Packing as recommended by manufacturer.
- For low viscosity materials Suitable container
  - ▶ Drums and jerricans must be of the non-removable head type.
  - ▶ Where a can is to be used as an inner package, the can must have a screwed enclosure.

For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.):

- Removable head packaging;
- ► Cans with friction closures and
- ► low pressure tubes and cartridges

may be used.

#### Storage incompatibility

- Inorganic acids are generally soluble in water with the release of hydrogen ions. The resulting solutions have pH's of less than 7.0.
- Inorganic acids neutralise chemical bases (for example: amines and inorganic hydroxides) to form salts neutralisation can generate dangerously large amounts of heat in small spaces.
- The dissolution of inorganic acids in water or the dilution of their concentrated solutions with additional water may generate significant heat.

#### SECTION 8 Exposure controls / personal protection

#### Control parameters

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

| Source                       | Ingredient  | Material name              | TWA               | STEL             | Peak          | Notes         |
|------------------------------|-------------|----------------------------|-------------------|------------------|---------------|---------------|
| Australia Exposure Standards | indium      | Indium & compounds (as In) | 0.1 mg/m3         | Not Available    | Not Available | Not Available |
| Australia Exposure Standards | nitric acid | Nitric acid                | 2 ppm / 5.2 mg/m3 | 10 mg/m3 / 4 ppm | Not Available | Not Available |

# Emergency Limits

| Ingredient  | TEEL-1        | TEEL-2        | TEEL-3        |
|-------------|---------------|---------------|---------------|
| indium      | 0.3 mg/m3     | 3.3 mg/m3     | 20 mg/m3      |
| nitric acid | Not Available | Not Available | Not Available |

| Ingredient  | Original IDLH | Revised IDLH  |
|-------------|---------------|---------------|
| indium      | Not Available | Not Available |
| nitric acid | 25 ppm        | Not Available |
| water       | Not Available | Not Available |

# **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Individual protection measures, such as personal protective equipment









#### Eye and face protection

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face
- Alternatively a gas mask may replace splash goggles and face shields.

# Skin protection

# See Hand protection below

# Hands/feet protection

► Elbow length PVC gloves

See Other protection below

▶ When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

# **Body protection**

# Overalls.

- Other protection ► PVC Apron
  - PVC protective suit may be required if exposure severe

Version No: **1.1** Page **5** of **10** Issue Date: **07/05/2023** 

#### **Indium ICP-MS Standard**

Print Date: 07/05/2023

Eyewash unit.

#### Recommended material(s)

#### GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

Indium ICP-MS Standard

| Material         | СРІ |
|------------------|-----|
| BUTYL            | A   |
| NEOPRENE         | A   |
| HYPALON          | С   |
| NATURAL RUBBER   | С   |
| NATURAL+NEOPRENE | С   |
| NEOPRENE/NATURAL | С   |
| NITRILE+PVC      | С   |
| PE/EVAL/PE       | С   |
| PVA              | С   |
| PVC              | С   |
| SARANEX-23       | С   |
| VITON            | С   |

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

**NOTE**: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

#### Respiratory protection

Type E-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

| Required Minimum<br>Protection Factor | Half-Face<br>Respirator | Full-Face<br>Respirator | Powered Air<br>Respirator  |
|---------------------------------------|-------------------------|-------------------------|----------------------------|
| up to 10 x ES                         | E-AUS P2                | -                       | E-PAPR-AUS /<br>Class 1 P2 |
| up to 50 x ES                         | -                       | E-AUS / Class 1<br>P2   | -                          |
| up to 100 x ES                        | -                       | E-2 P2                  | E-PAPR-2 P2 ^              |

#### ^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

# **SECTION 9 Physical and chemical properties**

# Information on basic physical and chemical properties

| Appearance                                   | Clear liquid  |   |               |
|--|---------------|---|---------------|
|  |               |   |               |
| Physical state                               | Liquid        | Relative density (Water = 1)            | 1.02          |
| Odour  | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold                              | Not Available | Auto-ignition temperature (°C)          | Not Available |
| pH (as supplied)                             | <2.0          | Decomposition temperature (°C)          | Not Available |
| Melting point / freezing point (°C)          | Not Available | Viscosity (cSt)                         | Not Available |
| Initial boiling point and boiling range (°C) | 83            | Molecular weight (g/mol)                | Not Available |
| Flash point (°C)                             | Not Available | Taste                                   | Not Available |
| Evaporation rate                             | Not Available | Explosive properties                    | Not Available |
| Flammability                                 | Not Available | Oxidising properties                    | Not Available |
| Upper Explosive Limit (%)                    | Not Available | Surface Tension (dyn/cm or mN/m)        | Not Available |
| Lower Explosive Limit (%)                    | Not Available | Volatile Component (%vol)               | Not Available |
| Vapour pressure (kPa)                        | 2.47          | Gas group                               | Not Available |
| Solubility in water                          | Miscible      | pH as a solution (1%)                   | Not Available |
| Vapour density (Air = 1)                     | 0.62          | VOC g/L                                 | Not Available |

# **SECTION 10 Stability and reactivity**

| R | ea | CI | tiv | rit |
|---|----|----|-----|-----|
|   | u  |    |     |     |

See section 7

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

<sup>\*</sup> Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Version No: 1.1 Page 6 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

# **Indium ICP-MS Standard**

| Chemical stability                 | Contact with alkaline material liberates heat |
|------------------------------------|---|
| Possibility of hazardous reactions | See section 7                                 |
| Conditions to avoid                | See section 7                                 |
| Incompatible materials             | See section 7                                 |
| Hazardous decomposition products   | See section 5                                 |

| ormation on toxicological e | ifects   |   |  |  |
|-----------------------------|--|---|--|--|
| Inhaled                     | Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce toxic effects.  The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.  Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.  Exposure to indium compounds leads to tooth decay, joint and bone pain, disorders in the nervous and gastrointestinal systems, heart pains and general debility. Swelling of the lungs is common although scarring is rarely seen. |   |  |  |
| Ingestion                   | produce serious damage to the health of the individual. Ingestion of acidic corrosives may produce burns around swallowing and speaking may also be evident. Indium is poorly absorbed from the gut, but accumulation  | Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in |  |  |
| Skin Contact                | scar tissue.  Skin contact is not thought to produce harmful health effer has been identified following exposure of animals by at let through wounds, lesions or abrasions.  Open cuts, abraded or irritated skin should not be expose   | brasions or lesions, may produce systemic injury with harmful effects. Examine the skir   |  |  |
| Еуе                         | Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild burns of the epithelia generally recover rapidly and completely.  If applied to the eyes, this material causes severe eye damage.  Irritation of the eyes may produce a heavy secretion of tears (lachrymation).   |   |  |  |
| Chronic                     | with cough, and inflammation of lung tissue often occurs. Repeated or long-term occupational exposure is likely to p Long-term exposure to respiratory irritants may result in a Chronic indium intoxication leads to weight loss, poor grow   |   |  |  |
|                             | TOVICITY   | IDDITATION  |  |  |
| Indium ICP-MS Standard      | Not Available  | IRRITATION  Not Available   |  |  |
|                             | TOXICITY   | IRRITATION  |  |  |
| indium                      | Oral (Rat) LD50: >2000 mg/kg <sup>[1]</sup>  | Eye: no adverse effect observed (not irritating) <sup>[1]</sup>   |  |  |
|                             |  | Skin: no adverse effect observed (not irritating) <sup>[1]</sup>  |  |  |
|                             | TOXICITY   | IRRITATION  |  |  |
| nitric acid                 | Inhalation(Rat) LC50: 0.13 mg/L4h <sup>[2]</sup>   | Eye: adverse effect observed (irritating) <sup>[1]</sup>  |  |  |
|                             |  | Skin: adverse effect observed (corrosive) <sup>[1]</sup>  |  |  |
|                             | TOXICITY   | IRRITATION  |  |  |
| water                       | Oral (Rat) LD50: >90000 mg/kg <sup>[2]</sup>   | Not Available   |  |  |
|                             | 4 Value abtained from Forman FOUA Remistered Contactor   | nces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise   |  |  |
| Legend:                     | specified data extracted from RTECS - Register of Toxic L  |   |  |  |
| Legend:                     |  |   |  |  |

Version No: **1.1** Page **7** of **10** Issue Date: **07/05/2023** 

#### Indium ICP-MS Standard

Print Date: **07/05/2023** 

# Indium ICP-MS Standard & NITRIC ACID

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

For acid mists, aerosols, vapours

Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. Cells from the respiratory tract have not been examined in this respect. Mucous secretion may protect the cells of the airway from direct exposure to inhaled acidic mists (which also protects the stomach lining from the hydrochloric acid secreted there).

**INDIUM & WATER** 

No significant acute toxicological data identified in literature search

| Acute Toxicity                    | <b>~</b> | Carcinogenicity          | × |
|-----------------------------------|----------|--------------------------|---|
| Skin Irritation/Corrosion         | ✓        | Reproductivity           | × |
| Serious Eye Damage/Irritation     | ✓        | STOT - Single Exposure   | × |
| Respiratory or Skin sensitisation | ×        | STOT - Repeated Exposure | x |
| Mutagenicity                      | ×        | Aspiration Hazard        | × |

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

# **SECTION 12 Ecological information**

#### Toxicity

|                        | Endpoint         | Test Duration (hr) | Species   | Value            | Source           |
|------------------------|------------------|--------------------|---|------------------|------------------|
| Indium ICP-MS Standard | Not<br>Available | Not Available      | Not Available   | Not<br>Available | Not<br>Available |
|                        | Endpoint         | Test Duration (hr) | Species   | Value            | Source           |
|                        | NOEC(ECx)        | 72h                | Algae or other aquatic plants   | >0.00032mg/l     | 2                |
| indium                 | EC50             | 72h                | Algae or other aquatic plants   | >0.00032mg/l     | 2                |
|                        | LC50             | 96h                | Fish  | 19.519mg/l       | 2                |
|                        | EC50             | 48h                | Crustacea   | 1.31mg/l         | 2                |
|                        | Endpoint         | Test Duration (hr) | Species   | Value            | Source           |
|                        | EC50(ECx)        | 96h                | Crustacea   | 39mg/l           | 2                |
| nitric acid            | LC50             | 96h                | Fish  | 102.24mg/L       | 4                |
|                        | EC50             | 48h                | Crustacea   | 490mg/l          | 2                |
|                        | Endpoint         | Test Duration (hr) | Species   | Value            | Source           |
| water                  | Not<br>Available | Not Available      | Not Available   | Not<br>Available | Not<br>Availabl  |
| Legend:                | Ecotox databas   |                    | A Registered Substances - Ecotoxicological Infon<br>quatic Hazard Assessment Data 6. NITE (Japan) |                  |                  |

#### Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Recommended pH values for test species listed in OECD guidelines are between 6.0 and almost 9. Acute testing with fish showed 96h-LC50 at about pH 3.5

Indium is used in LCD-displays, batteries and electronics. The most important route of dispersal to the environment is through solid waste and residuals from waste incineration. No data is currently available on the environmental toxicity of indium, and, consequently, the possible environmental impacts of indium cannot be assessed. However, due to the low consumption of indium and the low concentrations found in waste, the actual risk of adverse effects on environment and health is considered to be low.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

# Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water      | LOW                     | LOW              |

#### **Bioaccumulative potential**

| Ingredient | Bioaccumulation                       |
|------------|---------------------------------------|
|            | No Data available for all ingredients |

#### Mobility in soil

| ,          |                                       |
|------------|---------------------------------------|
| Ingredient | Mobility                              |
|            | No Data available for all ingredients |

#### **SECTION 13 Disposal considerations**

Version No: 1.1 Page 8 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

# **Indium ICP-MS Standard**

# Waste treatment methods

Product / Packaging disposal

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

# Otherwise:

- If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
- ▶ Where possible retain label warnings and SDS and observe all notices pertaining to the product.
- ▶ Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Figure 1 Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with soda-ash or soda-lime followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).

# **SECTION 14 Transport information**

### **Labels Required**



| Marine Pollutant | NO |
|------------------|----|
| HAZCHEM          | 2X |

#### Land transport (ADG)

| Land transport (ADG)         |  |  |  |
|------------------------------|--|--|--|
| UN number or ID number       | 3264   |  |  |
| UN proper shipping name      | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid solution) |  |  |
| Transport hazard class(es)   | Class 8 Subsidiary risk Not Applicable                             |  |  |
| Packing group                |  |  |  |
| Environmental hazard         | Not Applicable   |  |  |
| Special precautions for user | Special provisions 223 274 Limited quantity 5 L                    |  |  |

### Air transport (ICAO-IATA / DGR)

| UN number                    | 3264   |                |         |
|------------------------------|--|----------------|---------|
| UN proper shipping name      | Corrosive liquid, acidic, inorganic, n.o.s. * (Nitric acid solution) |                |         |
|                              | ICAO/IATA Class  | 8              |         |
| Transport hazard class(es)   | ICAO / IATA Subrisk  | Not Applicable |         |
|                              | ERG Code   | 8L             |         |
| Packing group                | III  |                |         |
| Environmental hazard         | Not Applicable   |                |         |
| Special precautions for user | Special provisions   |                | A3 A803 |
|                              | Cargo Only Packing Instructions                                      |                | 856     |
|                              | Cargo Only Maximum Qty / Pack  |                | 60 L    |
|                              | Passenger and Cargo Packing Instructions                             |                | 852     |
|                              | Passenger and Cargo Maximum Qty / Pack                               |                | 5 L     |
|                              | Passenger and Cargo Limited Quantity Packing Instructions            |                | Y841    |
|                              | Passenger and Cargo Limited Maximum Qty / Pack                       |                | 1 L     |

# Sea transport (IMDG-Code / GGVSee)

| UN number                    | 3264                          |  |  |  |
|------------------------------|-------------------------------|--|--|--|
| UN proper shipping name      | CORROSIVE LIQUID,             | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid solution) |  |  |
| Transport hazard class(es)   | IMDG Class 8 IMDG Subrisk No  | ot Applicable  |  |  |
| Packing group                | III                           |  |  |  |
| Environmental hazard         | Not Applicable                |  |  |  |
| Special precautions for user | EMS Number Special provisions | F-A, S-B<br>223 274  |  |  |

Version No: **1.1** Page **9** of **10** Issue Date: **07/05/2023** 

#### Indium ICP-MS Standard

Print Date: **07/05/2023** 

Limited Quantities 5

# Transport in bulk according to Annex II of MARPOL and the IBC code

| Product name                | Pollution Category | Ship Type |
|-----------------------------|--------------------|-----------|
| Nitric acid (less than 70%) | Υ                  | 2         |

### Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group         |
|--------------|---------------|
| indium       | Not Available |
| nitric acid  | Not Available |
| water        | Not Available |

# Transport in bulk in accordance with the IGC Code

| Product name | Ship Type     |
|--------------|---------------|
| indium       | Not Available |
| nitric acid  | Not Available |
| water        | Not Available |

# **SECTION 15 Regulatory information**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

#### indium is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

Australian Inventory of Industrial Chemicals (AIIC)

#### nitric acid is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

#### water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

# National Inventory Status

| National Inventory                                 | Status   |
|--|--|
| Australia - AIIC / Australia<br>Non-Industrial Use | Yes  |
| Canada - DSL                                       | Yes  |
| Canada - NDSL                                      | No (indium; nitric acid; water)  |
| China - IECSC                                      | Yes  |
| Europe - EINEC / ELINCS / NLP                      | Yes  |
| Japan - ENCS                                       | No (indium)  |
| Korea - KECI                                       | Yes  |
| New Zealand - NZIoC                                | Yes  |
| Philippines - PICCS                                | Yes  |
| USA - TSCA   | Yes  |
| Taiwan - TCSI                                      | Yes  |
| Mexico - INSQ                                      | Yes  |
| Vietnam - NCI                                      | Yes  |
| Russia - FBEPH                                     | Yes  |
| Legend:  | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

#### **SECTION 16 Other information**

| Revision Date | 07/05/2023 |
|---------------|------------|
| Initial Date  | 07/05/2023 |

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

#### **Definitions and abbreviations**

Version No: 1.1 Page 10 of 10 Issue Date: 07/05/2023 Print Date: 07/05/2023

#### Indium ICP-MS Standard

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$ 

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.